

Gut reaction: How immunity ramps up against incoming threats

January 29 2020



A new study has revealed how the gut's protective mechanisms ramp up significantly with food intake, and at times of the day when mealtimes are anticipated based on regular eating habits. Dr Cyril Seillet and Professor Gabrielle Belz from the Walter and Eliza Hall Institute in Melbourne, Australia, found that eating causes a hormone called VIP to be released, kickstarting the activity of immune cells in response to potentially incoming pathogens or 'bad' bacteria. The researchers also found that immunity increased at anticipated mealtimes indicating that maintaining regular eating patterns could be more

important than previously thought. Credit: Walter and Eliza Hall Institute

A new study has revealed how the gut's protective mechanisms ramp up significantly with food intake, and at times of the day when mealtimes are anticipated based on regular eating habits.

Researchers from the Walter and Eliza Hall Institute found, in laboratory models, that eating sets off a hormonal 'chain reaction' in the gut.

Eating causes a hormone called VIP to kickstart the activity of immune cells in response to potentially incoming pathogens or 'bad' bacteria. The researchers also found that immunity increased at anticipated mealtimes indicating that maintaining regular eating patterns could be more important than previously thought.

With the rise in conditions associated with chronic inflammation in the gut, such as irritable bowel and Crohn's disease, a better understanding of the early protective mechanisms governing gut health could help researchers to develop prevention strategies against unwanted inflammation and disease.

The research, led by Professor Gabrielle Belz and Dr. Cyril Seillet from the Walter and Eliza Hall Institute, was published in the journal *Nature Immunology*.

Armed against invaders

So how does it work?

When food is consumed nerves in the intestine produce a hormone called vasoactive intestinal peptide (VIP) to 'switch on' a protective

response in the gut.

Professor Belz said the team showed, for the first time, that food-induced activation of VIP in preclinical models was vital for a subset of immune cells called ILC3s to mount a protective response in the gut.

"Food intake 'switches on' VIP, which plays a critical role in alerting the gut's army of ILC3 immune cells. In response, ILC3s secrete interleukin-22 (IL-22), which swings into protective action to defend against pathogens and maintain tissue integrity."

"We also showed that a deficiency in VIP limits the production of IL-22, which in turn negatively impacts the [immune system](#)'s ability to prevent unwanted inflammation," she said.

The researchers used advanced imaging techniques to identify the 'players' integral to protective immunity in the gut. Using a new imaging technique that makes tissue translucent, the researchers were able to capture high-resolution, 3-D images of how VIP and ILC3 immune cells interact to protect the gut. Results showed their close proximity which confirmed their interdependence.

Regular meals key to gut health

The researchers also showed that 'circadian clock' genes could enable the gut to ramp up immunity in anticipation of regular mealtimes.

Dr. Seillet said baseline gut immunity fluctuated throughout the day, based on circadian rhythms and an anticipatory response to regular eating patterns.

"We saw that gut immunity not only spikes with [food intake](#). It also rises and falls due to inbuilt cellular machinery regulated by the [circadian](#)

[clock](#) gene Bmal1, which appears to activate immune cells when eating is likely," Dr. Seillet said.

"While more work needs to be done to better understand this anticipatory mechanism, the results are very interesting and could help to explain why disruptions to [circadian rhythms](#) and regular eating patterns could increase [chronic inflammation](#) in the gut."

Protective effect

Dr. Seillet said a detailed knowledge about mechanisms for gut protection and tissue repair could be useful for preventing against early-stage gut inflammation, before full-blown disease occurred.

"The next steps of our research include gaining a molecular understanding of what properties of food are responsible for kickstarting the process of protective immunity," he said.

"For example, are there certain diets that drive a more protective response than others?"

The study was supported by the Victorian Government and the Australian National Health and Medical Research Council.

More information: Cyril Seillet et al, The neuropeptide VIP confers anticipatory mucosal immunity by regulating ILC3 activity, *Nature Immunology* (2019). [DOI: 10.1038/s41590-019-0567-y](https://doi.org/10.1038/s41590-019-0567-y)

Provided by Walter and Eliza Hall Institute

Citation: Gut reaction: How immunity ramps up against incoming threats (2020, January 29)
retrieved 20 September 2024 from

<https://medicalxpress.com/news/2020-01-gut-reaction-immunity-ramps-incoming.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.