

Critical care surgery team develops blueprint for essential operations during COVID-19

March 31 2020

Maximizing the Calm before the Storm:
A Tiered Surgical Response Plan for COVID-19



JACS | Journal of the American College of Surgeons

Alert	Level 2	Level 1	Condition 0
<p>No patients with COVID-19</p> <ul style="list-style-type: none"> Start internal response plans and structure Minimize clinic visits Use telemedicine Furlough non-essential and non-clinical staff Cancel elective operations for high-risk patients Start weekly or bi-weekly rotations for staff Minimize transfers and vet ICU transfer requests 	<p>First patient with COVID-19</p> <ul style="list-style-type: none"> Decreasing beds, staff, and resource availability Decrease elective operations by 50% Non-acute care surgery (ACS) surgeons take EGS Create pool of non-ACS surgeons Reassign residents, staff, and APPs to trauma, EGS, and ICU services Stop non-emergency transfers 	<p>Facility at ≥ 100% capacity ICU capacity ≥ 90%</p> <ul style="list-style-type: none"> Some/many clinical staff quarantined Decreasing hospital/ICU beds and PPE Stop ALL elective operations Maximize non-operative therapy for urgent cases ACS surgeons to focus on severe trauma/ICU Convert all available monitored beds to ICU 	<p>Facility at ≥ 125% capacity ICU capacity > 100%</p> <ul style="list-style-type: none"> War-time footing; very limited resources (PPE, blood, ventilators) Convert OR beds to ICU beds (anesthesia to staff) Graduated autonomy and battlefield promotions Non-ACS surgeons to take trauma call Advanced triage criteria Only emergency operations Export non-COVID-19 cases

Crisis Management Principles

DO NOT LOSE HOPE

PRESERVE PURPOSE

MAINTAIN A SENSE OF COMMUNITY

COMMUNICATE CLEARLY AND CONCISELY

BE FLEXIBLE

journalacs.org

Ross SW, et al. *J Am Coll Surg*. March 2020. @SammyRossTrauma @blackcloudmd @AtriumHealth

A Tiered Surgical Response Plan for COVID-19. Credit: American College of Surgeons

As patients with Coronavirus Disease 2019 (COVID-19) flood hospitals, the health care system must not only determine how to redeploy limited

resources and staff to care for them but must also make well-calculated decisions to provide other types of critical care. For surgeons, this type of critical care involves performing an emergency operation to treat a ruptured appendix or perforated colon—to both virus-exposed and non-exposed patients—while keeping both hospital personnel and non-exposed patients safe.

To help guide [hospital](#) surgery departments through this crisis, the acute surgery division at Atrium Health's Carolinas Medical Center in Charlotte, N.C., has developed a tiered plan for marshaling [limited resources](#), which the authors have published as an "[article in press](#)" on the American College of Surgeons website ahead of print publication in the *Journal of the American College of Surgeons*. Atrium Health consists of more than 7,500 beds at 50 hospitals in North Carolina, South Carolina, and Georgia.

"The principles we address—such as triage criteria, beneficence, and justice—are ethical principles that we all learn as physicians, but it's also looking at the scenarios that are unfolding around the world, in China and Italy, and how [health](#) care providers are having to deal with this crisis on the fly," said lead author Samuel Wade Ross, MD, MPH, an assistant professor of surgery in the division of acute care surgery at Atrium Health Carolinas Medical Center. "We felt it would be better to have thought about this before the tsunami of COVID-19 patients is upon us."

The Atrium Health recommendations came about when acute care surgery team members approached the department of surgery leadership with the concept, drawing upon their different areas of expertise in disaster management. In addition to Dr. Ross's background in public health, coauthor Cynthia W. Lauer, MD, FACS, was a military surgeon who served two tours in Afghanistan; William S. Miles, MD, FACS, FCCM, brought extensive experience in surgical critical care

management; and Ashley Britton Christmas, MD, FACS, is president of the Eastern Association for the Surgery of Trauma.

Key steps include reassigning acute care surgeons to care for COVID-19 patients, creating principles for triaging surgical cases, deferring non-emergency operations or sending these procedures to less-strained centers, and considering "battlefield promotion" for senior surgical residents. The suggestions employ recommendations included in the American College of Surgeons (ACS) recently released [guidance for triage of non-emergent operations](#) and recommendations for elective surgeries during the COVID-19 outbreak, Dr. Ross said.

The ACS triage recommendations, incorporating expertise from Allan Kirk, MD, Ph.D., FACS, of Duke University Medical Center, and the Elective Surgery Acuity Scale (ESAS) developed by Sameer Siddiqui, MD, FACS, of St. Louis University, provide guidance to determine the need for surgery in a hospital dealing with a COVID-19 surge. ESAS recommends that only essential operations, such as those for acute symptoms and most types of cancers, be performed in a hospital with a high COVID-19 population; all other operations should be postponed or sent to an outpatient facility or a hospital with a no-to-low COVID-19 population.

"Those acuity levels would help you decide if a surgery was emergent, urgent, or if it was completely elective; we actually started using those levels here at Atrium Health," Dr. Ross said.

The Atrium Health model uses an operating room case screening board that reviews the day's scheduled cases and determines if these procedures really must be done based on the hospital's response level. Response levels range from "Alert," when disaster preparedness must begin and non-time sensitive elective cases and even high-risk cases should be avoided, to "Condition Zero," which Dr. Ross described as

"wartime footing," and only the most pressing emergency operations would be done. "Most centers in the country now are probably beyond the Alert status," he said. Atrium Health is following the guidance of both the Surgeon General and ACS to reschedule all non-essential operations, procedures, and ambulatory appointments.

The recommendations can be used in any type of hospital setting, Dr. Ross said, and have been adopted by all surgical subspecialties systemwide at Atrium Health. "It's really important to plan now so that when a COVID-19 patient surge occurs, there's a blueprint in place," he said.

The most comprehensive recommendations involve personnel. "As the hospital is getting more and more COVID-19 patients and as acute care surgeons are going to have to flex to do more intensive care unit (ICU) critical care, our plan is to shift away from doing the emergency surgery and trauma in order to shift toward focusing on the ICU and pulling more resources from the medical intensivists that cover those patients," Dr. Ross said.

Older [health care providers](#), at higher risk of contracting COVID-19, could be assigned lower-risk roles, such as telemedicine and virtual critical care triage. Fellows and senior medical residents can be advanced to attending status to free up general surgeons for emergency [surgery](#) and trauma. "Acute care surgeons are integrated within the emergency department, the operating room, and the ICU," Dr. Ross said. "We're really the Swiss Army Knife of the hospital."

Attrition is also a consideration as staff may become exposed to the virus. The recommendations state that agreements should be in place to shift surgical services among different facilities, and large health systems or regional cooperatives could use a pool of surgeons to deploy at satellite hospitals that run short of staff.

Provided by American College of Surgeons

Citation: Critical care surgery team develops blueprint for essential operations during COVID-19 (2020, March 31) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-03-critical-surgery-team-blueprint-essential.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.