

Older men with sarcopenia are more likely to develop diabetes over time

30 April 2020



Credit: CC0 Public Domain

with an average age of 60 years at the initial visit, from the Baltimore Longitudinal Study of Aging, who were followed up to 15 years. They used Dual X-ray Absorptiometry and found that lower lean body mass with aging is associated with incident diabetes in men but not women.

"Future studies that use more direct methods to assess skeletal muscle mass may give further insights into these relationships and the sex differences that we observed," Kalyani said.

More information: "The Relationship of Lean Body Mass with Aging to the Development of Diabetes," *Journal of the Endocrine Society*, 2020.

Older men who have lower lean body mass as they age are more prone to developing diabetes, while similar findings were not found in older women, according to a new study published in *Journal of the Endocrine Society*.

One in four adults aged 65 and older has diabetes, making them the group with the greatest burden of diabetes. Skeletal muscle is the largest insulinsensitive tissue in the body and plays an essential role in blood sugar regulation. Age-related muscle loss, called sarcopenia, may contribute to the development of diabetes in older adults.

"Age-related muscle loss may be an under-recognized target for interventions to prevent the development of diabetes in older adults," said the study's first author, Rita R. Kalyani, M.D., of the Johns Hopkins University in Baltimore, Md. "We found that relatively lower lean body mass with aging was related to a higher incidence of diabetes in men but not women, and partially related to body size."

The researchers studied 871 men and 984 women,

Provided by The Endocrine Society



APA citation: Older men with sarcopenia are more likely to develop diabetes over time (2020, April 30) retrieved 25 February 2021 from https://medicalxpress.com/news/2020-04-older-men-sarcopenia-diabetes.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.