


# Genetic risk of developing obesity is driven by variants that affect the brain

September 29 2020



Sagittal mouse brain view showing the 22 BMI GWAS-enriched cell types. The first two letters in each cell type label denote the developmental compartment (ME, mesencephalon; DE, diencephalon; TE, telencephalon), letters three to five denote the neurotransmitter type (INH, inhibitory; GLU, glutamatergic) and the numerical suffix represents an arbitrary number assigned to the given cell type. Credit: University of Copenhagen

Some people are at higher risk of developing obesity because they possess genetic variants that affect how the brain processes sensory

information and regulates feeding and behavior. The findings from scientists at the University of Copenhagen support a growing body of evidence that obesity is a disease whose roots are in the brain.

Over the past decade, scientists have identified hundreds of different genetic variants that increase a person's risk of developing obesity. But a lot of work remains to understand how these variants translate into obesity. Now scientists at the University of Copenhagen have identified populations of cells in the [body](#) that play a role in the development of the disease—and they are all in the brain.

"Our results provide evidence that [biological processes](#) outside the traditional organs investigated in obesity research, such as [fat cells](#), play a key role in human obesity," says Associate Professor Tune H Pers from the Novo Nordisk Foundation Center for Basic Metabolic Research (CBMR), at the University of Copenhagen, who published his team's findings in the internationally-recognized journal *eLife*.

"We identified cell types in the brain that regulate memory, behavior and processing of sensory information that are involved in the development of the disease. Further investigation of these areas of the brain may tell us why some of us are more susceptible to develop obesity than others."

## **A mosaic of brain cell populations contribute to obesity**

The discovery was made by developing computational tools that combine two different sets of data. The first set is genome-wide association study data from around 450,000 people. This data compares a person's health and physical attributes, such as their [body weight](#), to their unique genome. Doing so reveals that people with obesity are much more likely to have a range of genetic variants in common.

The second set is single-cell RNA-sequencing data of more than 700 different types of mouse cell populations. Different cells express different parts of the genome, so this data set contains the unique genetic fingerprint for each cell [population](#).

The team at CBMR integrated the two data sets and found that the genetic variants, which are strongly associated with obesity, are near genes expressed by 26 cell populations acting as different types of neurons.

## **Obesity is not a lack of willpower**

We already know that the brain plays an important role in obesity by regulating how the body maintains its energy needs. It does so by processing signals from within the body about the energy stores and food intake, as well as external signals such as the sight and smell of food.

The new findings suggest that a person's risk of developing obesity is driven by populations of [cells](#) that process sensory stimuli and direct actions related to feeding and behavior. They also identified specific brain [cell types](#) that support a role of learning and memory in obesity.

"The next step is to explore how defects in parts of the [brain](#) traditionally known to regulate memory and integration of sensory signals actually makes us more vulnerable to become obese," says Tune H Pers.

"Our journey, to understand why some of us develop obesity, has only just begun. Our findings reinforce the growing body of evidence that [obesity](#) is far more complex than previously recognized and not can be reduced to a simple question about lack of willpower."

**More information:** Pascal N Timshel et al, Genetic mapping of etiologic brain cell types for obesity, *eLife* (2020). [DOI](#):

[10.7554/eLife.55851](https://doi.org/10.7554/eLife.55851)

Provided by University of Copenhagen

Citation: Genetic risk of developing obesity is driven by variants that affect the brain (2020, September 29) retrieved 20 September 2024 from

<https://medicalxpress.com/news/2020-09-genetic-obesity-driven-variants-affect.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.