


Omega-3s did not reduce cardiac events in recent heart attack survivors

November 16 2020



Credit: Unsplash/CC0 Public Domain

A daily dose of omega-3 fatty acids did not reduce the risk of cardiac events, including secondary heart attack, stroke, bypass surgery or death, among elderly people who had survived a recent heart attack, according to late-breaking research presented today at the American Heart Association's Scientific Sessions 2020. The manuscript of this study is simultaneously published today in *Circulation*, journal of the American

Heart Association.

Some studies have found that a high intake of fish-oil-derived omega-3 fatty acids is associated with reduced risk of cardiovascular events. However, some recent studies have shown the therapy to have no effect on overall cardiovascular health. The OMEMI Trial (OMega-3 fatty acids in Elderly patients with Myocardial Infarction) was conducted in Norway and investigated whether adding 1.8 grams of omega-3 fatty acids to standard treatment after a [heart](#) attack in [elderly patients](#) prevented new cardiac events.

"This study focused on a particularly vulnerable patient group, in this case elderly patients with recent cardiovascular disease and a high load of risk factors, where the effects of preventive measures are usually the most prominent," said Are A. Kalstad, M.D., a principal investigator of the study, and a researcher at the Center for Clinical Research at Oslo University Hospital in Oslo, Norway. "The fact that no indication of any impact from the omega-3 fatty acids were found in this group, along with the results of other recent neutral trials, suggests that omega-3 supplements are ineffective for cardiovascular prevention."

The study included more than 1,000 patients (ages 70 to 82, mostly white, 29% women) who had all been hospitalized due to a heart attack within the previous two months. Most participants (97%) were taking cholesterol-lowering medications (statins), and most (86%) were on two blood thinner medications. Researchers randomly assigned half of the participants to receive an [omega-3 fatty acids](#) oral supplement daily and half to receive a placebo capsule of corn oil daily.

After 2 years of follow-up, researchers analyzed the number of cardiac events in each group, including heart attacks, strokes, revascularization ([bypass surgery](#) or angioplasty), hospitalizations for heart failure or deaths. The data indicates no difference in the rate of cardiac events

between the two groups—about 20% for both groups.

Additionally, the researchers found no statistical differences between the omega-3 group and the patients taking the placebo when they examined subgroups of patients divided by age, gender, diabetes status, kidney function and triglyceride levels. Furthermore, the secondary endpoint of the study was new atrial fibrillation, which occurred in almost twice as many in the study's omega-3 group compared to the placebo group, 7.2 % vs 4.0 %, respectively, although the numbers were too small to be of statistical significance.

More information: Are Annesønn Kalstad et al. Effects of n-3 Fatty Acid Supplements in Elderly Patients after Myocardial Infarction: A Randomized Controlled Trial, *Circulation* (2020). [DOI: 10.1161/CIRCULATIONAHA.120.052209](https://doi.org/10.1161/CIRCULATIONAHA.120.052209)

Provided by American Heart Association

Citation: Omega-3s did not reduce cardiac events in recent heart attack survivors (2020, November 16) retrieved 20 September 2024 from <https://medicalxpress.com/news/2020-11-omega-3s-cardiac-events-heart-survivors.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--