

Higher coffee intake may be linked to lower prostate cancer risk

11 January 2021



Credit: Pixabay/CC0 Public Domain

Drinking several cups of coffee every day may be linked to a lower risk of developing prostate cancer, suggests a pooled data analysis of the available evidence, published in the online journal *BMJ Open*.

Each additional daily cup of the brew was associated with a reduction in relative risk of nearly 1%, the findings indicate.

Prostate cancer is the second most common cancer, and the sixth leading cause of cancer death in men. Nearly three out of four cases occur in the developed world, and since the 1970s, new cases of the disease have risen sharply in Asian countries, including Japan, Singapore, and China.

Coffee [consumption](#) has been linked to a lower relative risk of liver, bowel, and breast cancers, but as yet, there is no conclusive evidence for its potential role in prostate cancer risk reduction.

In a bid to advance understanding of the issue, the researchers trawled research databases for relevant cohort studies published up to September

2020.

They pooled the data from 16: 15 reported on the risk of prostate cancer associated with the highest, compared with the lowest, coffee consumption; 13 reported on the risk associated with an additional daily cup. The highest level of consumption ranged from 2 to 9 or more cups a day; the lowest level ranged from none to fewer than 2 cups a day.

The included studies were carried out in North America (7), Europe (7) and Japan (2). They included more than 1 million men (1,081, 586) of whom 57,732 developed prostate cancer.

Compared with the lowest category of coffee consumption, the highest category was associated with a reduction in prostate cancer risk of 9%. And each additional daily cup was associated with a reduction in risk of 1%.

Further refining the analysis to localised and [advanced prostate cancer](#), showed that compared with the lowest intake, the highest intake was associated with a 7% lower risk of localised prostate cancer, and a 12%-16% [lower risk](#) for advanced and fatal prostate cancer, respectively.

The researchers acknowledge that because of the observational design of the included cohort studies, unmeasured or uncontrolled factors in the original studies may have skewed the pooled risk estimate.

The amount of coffee drunk may also have been misclassified as it depended on recall. And the type of coffee and brewing methods varied among the studies. The design and methods of the included studies also varied, so caution in interpreting the findings is warranted, they say.

Nevertheless, there are plausible biological explanations for their findings, they highlight.

Coffee improves glucose metabolism, has anti-

inflammatory and antioxidant effects, and affects sex hormone levels, all of which may influence the initiation, development and progression of prostate cancer, they point out.

And they conclude: "This study suggests that increased coffee consumption may be associated with a reduced risk of [prostate cancer](#). Further research is still warranted to explore the underlying mechanisms and active compounds in coffee.

"If the association is further proved to be a causal effect, men might be encouraged to increase their [coffee](#) consumption to potentially decrease the risk of [prostate cancer](#)."

More information: Coffee consumption and risk of prostate cancer: a systematic review and meta analysis, *BMJ Open* (2021). [DOI: 10.1136/bmjopen-2020-038902](#)

Provided by British Medical Journal

APA citation: Higher coffee intake may be linked to lower prostate cancer risk (2021, January 11) retrieved 5 March 2021 from <https://medicalxpress.com/news/2021-01-higher-coffee-intake-linked-prostate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.