

Inpatient mammograms can reduce disparities in breast cancer screening rates

January 13 2021



Credit: CC0 Public Domain

Completing cancer screening tests, such as mammograms, can be challenging for low-income people, who may face such challenges as lack of transportation or inability to take time off work. A team at

Massachusetts General Hospital (MGH) explored the possibility of addressing preventive care needs when patients are admitted to the hospital.

The pilot study, published in the *Annals of Family Medicine*, examined the feasibility of performing mammograms in [women](#) insured by Medicaid or both Medicaid and Medicare (dual-eligible patients) while they were hospitalized. "We designed the study to reach the patients who face significant barriers to completing their mammograms in the outpatient setting," says Andrew S. Hwang, MD, MPH, an internist at MGH and first author of the study. "National and local data show that Medicaid and dual-eligible patients have low rates of breast [cancer](#) screening. This targeted strategy has the potential to reduce disparities in cancer screening rates by addressing patients' acute medical needs and their preventive care needs simultaneously."

Hwang and his colleagues identified Medicaid and dual-eligible patients who were admitted to MGH's General Medicine service and were overdue for mammograms. The women had primary care physicians affiliated with MGH who would be responsible for following up on abnormal mammogram results in collaboration with the MGH Breast Evaluation Team.

Of the 21 women who were identified as appropriate candidates for an inpatient mammogram, 17 women, who were an average age of 59, successfully completed the mammogram. The other four patients were discharged from the hospital before the mammograms could be coordinated. Of the 17 women who completed an inpatient mammogram, 35% had never had a mammogram and the other women were overdue for their mammograms by four years on average. All the mammograms were negative, except one, which was inconclusive, and additional imaging evaluation was recommended to rule out cancer. Completing a mammogram did not increase the patients' hospital length

of stay.

Hwang and his colleagues hope to build on the pilot study by offering inpatient mammograms to Medicaid and dual-eligible patients admitted to other areas of the [hospital](#). They also envision potentially delivering additional preventive care services, such as fecal immunochemical tests for colorectal cancer screening, to low-income hospitalized men and women.

"The patients who participated in our pilot study faced significant psychosocial challenges to completing outpatient prevention tests," says Hwang. "Attaining equitable health outcomes for all patients will require innovative solutions that lower the barriers to care by addressing patients' psychosocial needs. In addition, as our health care system transitions from fee-for-service to value-based payment models, improving health outcomes among underserved patient populations will become increasingly important. Completing preventive [screening](#) tests, such as [mammograms](#), during hospitalizations can be one way to help patients who might otherwise miss preventive care."

More information: Andrew S. Hwang et al, Targeted Inpatient Screening Mammogram Program to Reduce Disparities in Breast Cancer Screening Rates, *The Annals of Family Medicine* (2021). [DOI: 10.1370/afm.2638](#)

Provided by Massachusetts General Hospital

Citation: Inpatient mammograms can reduce disparities in breast cancer screening rates (2021, January 13) retrieved 25 April 2024 from <https://medicalxpress.com/news/2021-01-inpatient-mammograms-disparities-breast-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.