

Feeling lonely during the pandemic? You're up to 10 times more likely to have worse mental health

January 27 2021, by Ziggi Ivan Santini and Ai Koyanagi



Credit: AI-generated image ([disclaimer](#))

While COVID-19 may itself [compromise](#) a person's mental health, the social conditions of the pandemic are also having a [negative impact](#). [Economic hardship](#), heavy COVID-related [media exposure](#), reduced [social contact](#) and [domestic violence](#) are just some factors that may have

affected people.

Indeed, studies have shown that [mental health](#) has [declined](#) during the [pandemic](#). Our recent [research](#), which looks at how people across Europe fared during the first half of 2020, also suggests that this was the case. Specifically, we found that worsening mental health problems are linked to intensified loneliness.

Declines in mental health during the pandemic are not stable, but are sensitive to societal responses (lockdowns, restrictions, reopenings and so on). In Denmark, for example, mental health [declined](#) during the lockdown of the first wave, but [improved](#) as the Danish government gradually reopened society.

This makes our findings very relevant. Facing vast increases in COVID-19 cases, most European governments have reintroduced various restrictions, lockdowns, quarantines and social distancing measures to attempt to contain the virus. This will likely affect how lonely people feel and, consequently, their mental health.

Worsening mental health

In our study, we looked at people aged 50 and older from 26 European countries. We used data collected as part of a [large ongoing study](#) called the Survey of Health, Ageing and Retirement in Europe. The information was collected through telephone-based interviews between June and August 2020. A total of 50,609 survey participants were included.

We focused particularly on the extent to which people had experienced worsening mental health problems (depressed mood, anxiety symptoms, sleep problems) and loneliness, as well as the link between them.

We found that about 30% of respondents reported experiencing depressed mood, and a similar amount of respondents reported experiencing anxiety symptoms and sleep problems. Among them, 64% of those experiencing depressed mood and 73% of those experiencing anxiety symptoms said that their symptoms had worsened during the pandemic. Of those experiencing difficulty sleeping, 35% said that their sleep problems had gotten worse.

In other words, the data suggests that the pandemic has led to deteriorating mental health in Europe. These numbers present a major challenge to future mental health planning, with healthcare demands predicted to [grow exponentially](#) for the duration of the pandemic—and possibly in the aftermath—without intervention and appropriate health and social care policies in place.

Loneliness on the rise

We found that for many, loneliness was a key part of this deterioration. 29% of participants reported feeling lonely, and among those, 40% said that they had felt lonelier since the start of the outbreak compared to previously.

Such trends are not only observable among the older population whom we investigated. Other recent studies conducted using data from [EU member states](#), northern and western [European countries](#), the [UK](#) and the [US](#) have documented similar increases in loneliness and mental health problems among young adults and even students (who are not usually considered at risk for loneliness). In fact, older adults [appear to be coping better](#) during the pandemic than the young.

In our own research, our most striking finding was that worsened loneliness during the pandemic was associated with an extremely high risk of worsened mental health problems. For those whose loneliness had

increased, there was a six- to ten-fold increase in risk for worsened depressed mood, anxiety symptoms and sleep problems.

Our analysis further showed that these associations were not accounted for by confounding factors, such as losing close family members, confidants or friends to COVID-19. They appear to be outcomes of the pandemic in general rather than a more direct consequence of the virus itself.

Although our results may seem discouraging, there are reasons to be optimistic—and also ways to move forward. Not everyone reported feeling lonelier since the outbreak of the pandemic. More than half of respondents (57%) reported no change in loneliness and a small amount (3%) actually reported feeling less lonely.

In a similar fashion, a sizeable amount of those reporting mental health problems said that there had been no change in their symptoms since the outbreak started (34% for depression, 27% for anxiety symptoms and 69% for sleep problems). A small group (roughly 2% of those reporting any of these mental health problems) reported a reduction in their symptoms.

How to tackle loneliness

What these numbers tell us is that escalations in loneliness and mental health problems are not inevitable during a pandemic, and there may be actions that can be taken to avoid them. Research is needed to identify pandemic-specific protective factors and to investigate what [differentiates](#) those that fare worse from those that fare better.

[Interventions](#) among [at-risk groups](#) are also needed mitigate loneliness and mental health problems. It is critical to raise awareness about what people themselves can do to enhance their own mental [health](#) and social

wellbeing, for example by keeping active, connecting with others, and getting involved in meaningful challenges or causes.

Social interaction may appear difficult if not impossible to engage in under pandemic conditions. But a little bit of creativity can go a long way in making [socially distanced socializing possible](#) (think drive-in cinemas or non-contact sports, such as golf or kayaking).

Finally, [telephone-based](#) or [online activities](#) – including [digital games](#), [peer-support groups](#) or [social networking](#) – might have a lot to offer. Although it's difficult to see the upside of a global disease outbreak, being forced to find new solutions for alleviating [loneliness](#) and [mental health problems](#) could well prove fruitful in the future and [lead to progress](#) that we would not otherwise achieve.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Feeling lonely during the pandemic? You're up to 10 times more likely to have worse mental health (2021, January 27) retrieved 20 September 2024 from <https://medicalxpress.com/news/2021-01-lonely-pandemic-youre-worse-mental.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.