

# Over half of at-risk youth not receiving needed mental health services

March 18 2021

---



Credit: Pixabay/CC0 Public Domain

Researchers at the University of New Hampshire have found that more than 50% of children in high-risk populations in the United States are not receiving behavioral health services that could improve their developmental outcomes when it comes to mental and physical health problems.

In their study, recently published online by *JAMA Network Open*, researchers looked at a national cross-section of 11,896 young [children](#) and teens. They focused on those with high levels of adverse childhood experiences (ACEs), high distress symptoms, or both—for example, children with symptoms like depression, anxiety, anger, post-traumatic stress and dissociation. The researchers found the untreated portion of high-risk juveniles ranged between 41% to 63%. Among those aged two to nine years, no clinical services were reported for 57% of the group with high ACEs and 53% of the group with high distress symptoms. Among those aged ten to 17 years, the no clinical contact group comprised of 63% of the adolescents with high ACEs and 52% of those with high distress symptoms.

"These findings show a large percentage of children who need treatment are not getting it," said David Finkelhor, professor of sociology and director of UNH's Crimes against Children Research Center. "Better ways are needed to identify these at-risk youth populations and help them get intervention resources that we know improves their physical and mental health."

The researchers say the group receiving the least number of services was young Black children with significantly lower levels of clinical contact compared with non-Hispanic white children.

"There are lots of barriers to receiving these services," said Finkelhor. "For example, there is a dearth of services or long waiting times in some areas. Some schools and [medical providers](#) do a better job than others of identifying need and making referrals. Some families can't access care because they lack transportation or time and some find the idea of such services stigmatizing or have had bad experiences in the past."

According to the researchers, making such services more easily accessed in familiar places like schools and [medical practices](#) has been shown to

increase [service](#) utilization.

"Lots of kids are suffering from problems we have solutions for," said Finkelhor. "We just have to up our game and get it to them."

**More information:** David Finkelhor et al. Receipt of Behavioral Health Services Among US Children and Youth With Adverse Childhood Experiences or Mental Health Symptoms, *JAMA Network Open* (2021). [DOI: 10.1001/jamanetworkopen.2021.1435](https://doi.org/10.1001/jamanetworkopen.2021.1435)

Provided by University of New Hampshire

Citation: Over half of at-risk youth not receiving needed mental health services (2021, March 18) retrieved 24 April 2024 from <https://medicalxpress.com/news/2021-03-at-risk-youth-mental-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.