


First patient-derived organoid model for cervical cancer

13 April 2021



New cervical organoid model representing women's protective armor. Credit: Kadi Löhmußaar, copyright Hubrecht Institute

Researchers from the group of Hans Clevers (Hubrecht Institute) developed the first patient-derived organoid model for cervical cancer. They also modeled the healthy human cervix using organoids. In close collaboration with the UMC Utrecht, Princess Máxima Center and the Netherlands Cancer Institute, the researchers used the organoid-based platform to study sexually transmitted infections for a herpes virus. The model can potentially also be used to study the human papillomavirus (HPV), which is one of the main causes of cervical cancer. The results were published in *Cell Stem Cell*.

Cervical cancer is a common gynecological malignancy, often caused by the [human papillomavirus](#) (HPV). However, good models to

study human cervical tissues were lacking. Reason enough for the group of Hans Clevers to develop an [organoid](#)-based model for the healthy cervix and associated malignancies including cervical cancer. The project was conducted in close collaboration with researchers from the UMC Utrecht, the Princess Máxima Center and the Netherlands Cancer Institute.

Mini organs

The researchers obtained human cervical tissue from either healthy patients or patients with different types of cervical cancer. From these tissues they grew organoids; tiny 3D structures of about half a millimeter in size that closely mimic organ function. The organoids derived from healthy tissue closely resemble the tissue architecture and gene expression profiles of the actual human cervix. Therefore, the organoids hold great promise for studying what happens when a virus infects the human cervix. Kadi Löhmußaar, first author on the paper, explains: "For our study, we used a [herpes virus](#)—herpes simplex virus-1 (HSV-1) - to demonstrate the potential of the model for research into sexually transmitted infections."


Prospectively, the model could also be applied to study the human papillomavirus (HPV) and how that virus causes cancer. "Cervical cancer is often caused by HPV-infection, but research into this virus was complicated as the [virus](#) is difficult to culture in the lab. Our new model might be able to overcome this obstacle," says Löhmußaar.

Tumoroids

The organoids grown from cancerous tissue—also called tumoroids—closely resemble actual tumors. They show mutation- and gene expression profiles that are typical for [cancer](#) and they carry similar morphological abnormalities. The researchers also found that the tumoroids respond differently to common chemotherapeutics, paving way to the era

of precision medicine. "Hopefully in the future, we can predict which chemotherapy will work best for specific patients based on results obtained in the tumouroids."

Harry Begthel, Natalie Proost, Marieke van de Ven, Onno W. Kranenburg, Trudy G. N. Jonges, Ronald P. Zweemer, Sebastiaan Veersema, Ruben van Boxtel, Hans Clevers. *Cell Stem Cell* (2021).



Provided by Hubrecht Institute

Histological view of a cancerous cervical organoid line. Credit: Kadi Löhmußaar, copyright Hubrecht Institute

Biobanks

The organoids can be derived via patients' Pap-brush material. The study shows that the tiny bit of tissue obtained from this procedure is sufficient for starting an organoid culture. This opens up the possibility to not only look at fixed cells under the microscope, but also do in-depth analyses of the living cells that might be on their way to become cancerous. Additionally, given that the Pap-brush is non-invasive for patients, the new organoid model provides the research community with a relatively easy access to the [tissue](#) of interest and a new [model](#) system. Löhmußaar: "This will hopefully facilitate a rapid generation of additional organoid-based [cervical cancer](#) biobanks worldwide. That would offer new means for advancing research into cervical biology and associated diseases."

More information: Patient-derived organoids as a pioneering platform to study cervical cancer. Kadi Löhmußaar, Rurika Oka, Jose Espejo Valle-Inclan, Milou H. H. Smits, Hila Wardak, Jeroen Korving,

APA citation: First patient-derived organoid model for cervical cancer (2021, April 13) retrieved 19 June 2021 from <https://medicalxpress.com/news/2021-04-patient-derived-organoid-cervical-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.