

# Eight myths about vaccines and kids

August 16 2021

---



Credit: Unsplash/CC0 Public Domain

Few health care topics elicit stronger opinions than pediatric vaccines.

Vaccine advocates see the choice not to immunize [children](#) against potentially life-threatening illnesses as a fear-versus-fact, emotion-versus-evidence argument fueled by nonscientific misinformation.

Smaller but seemingly louder groups—known as "anti-vaxxers"—counter by decrying the safety and effectiveness of vaccines and questioning the motives of those who advocate vaccination.

Rush experts sort the myths from the facts.

### **Myth: Vaccines cause autism.**

Fact: "There's no relationship between any [vaccine](#) and autism," says Renee Slade, MD, a pediatrician in the Rush Pediatric Primary Care Center.

The widespread fear that vaccines increase the risk of autism originated from a 1997 study whose author has since lost his medical license.

"After the study was published, it came out that the main author had a financial incentive for the study to be published," Slade says. "After more was learned about the study, the other authors removed their names. That study has also been debunked by many other studies that used larger groups of children."

The causes of autism and autism spectrum disorders have never been established. But many autism experts are increasingly convinced that autism is determined before birth—well before any vaccinations.

### **Myth: It's not necessary to vaccinate so early in life.**

Fact: The diseases these vaccines prevent are most deadly in the very young, which is why they're recommended at the earliest ages.

Delaying vaccines until children are older simply puts infants and toddlers at greater risk for potentially life-threatening diseases such as

whooping cough, measles and diphtheria.

Many parents of children under the age of two also question whether the increased number of recommended vaccines exposes their [young kids](#) to too many antigens—the substances in vaccines that cause the body to build resistance.

While there are more vaccines given today than a few decades ago—more than 30 during a child's first six years—the vaccines themselves are more efficient.

### **Myth: The vaccine schedule is too aggressive and should be spaced out.**

Fact: The immunization schedule is determined by decades of medical evidence showing there's an optimal window of time when vaccines are most effective in preventing—and children are most vulnerable to—these diseases.

However, many parents feel the CDC's recommended schedule is too aggressive. So they ask their pediatricians to deliver one vaccine at a time, and at a much slower pace.

Beyond missing that window of effectiveness, Boyer notes that spacing out immunizations results in more office visits, more injections and, as a result, higher out-of-pocket expenses.

The diseases these vaccines prevent are most deadly in the very young. That's why they are recommended at the earliest ages.

### **Myth: Vaccinations cause the diseases that they are meant to prevent.**

Fact: Vaccines don't cause diseases, and here's why: They don't contain active viruses.

Vaccines are also known as immunizations because they stimulate our immune systems to produce the antibodies needed to protect us from—or become immune to—diseases. The inactive viruses in vaccines essentially trick the [immune system](#) into thinking there's a threat so it will churn out those protective antibodies.

The process of producing antibodies can sometimes cause a low fever or minor swelling, but not the actual diseases.

### **Myth: Vaccines contain unsafe toxins.**

Fact: It's true that vaccines do contain trace amounts of formaldehyde, mercury and aluminum.

But while the names may be scary, these additives actually make the vaccines safer, ensuring ensure that the vaccine is sterile, or that it's able to do its job effectively. They are only toxic in amounts far higher than the trace amounts needed for vaccines.

In fact, formaldehyde is produced at higher rates by the body's own metabolic system.

One mercury-based preservative in particular—Thimerosal—seems to cause the most concern among parents. But since it was eliminated from all pediatric vaccines in 1999, any concerns about Thimerosal today are unfounded.

### **Myth: The effectiveness of vaccinations has never been proven.**

Fact: Simply stated—and scientifically proven—vaccines are extremely effective.

Depending on the vaccine, Slade says, 95% to nearly 100% of children will develop immunity against the targeted [disease](#).

Countless scientific studies proving the effectiveness of vaccines can be found on websites like the Centers for Disease Control and Prevention or the American Academy of Pediatrics.

But perhaps the most compelling proof that vaccines work is history. "The number of cases for every vaccine-preventable disease plummets in the years after a vaccine for that disease is made widely available," Slade explains.

For instance, the measles vaccine was licensed in the U.S. in 1963. Between 1958 and 1962, more than 503,000 reported measles cases and 432 measles-associated deaths were reported. In 1965, both incidence and deaths began a 33-year downward trend, with record lows of 89 reported cases and zero deaths in 1998.

### **Myth: Not vaccinating my child affects only my child.**

Fact: Unfortunately, as we've seen in recent years, this simply isn't true.

Ironically, some parents skip vaccinations because vaccines have been so effective in making diseases that once killed thousands of children each year quite rare today.

But experts point to recent measles and mumps outbreaks to illustrate the concept of "herd immunity."

Herd—or community—immunity means having a high enough percentage of people in a population (or herd) who are immune from a disease that there are few susceptible people left to infect. Therefore, it's very difficult for a disease to spread.

But these recent outbreaks show that when a population dips below that amount of vaccinated people needed to prevent an illness from spreading, a disease that was nearly eradicated can resurface with a vengeance—spreading quickly and threatening many lives.

## **Myth: Young people don't need to get the COVID-19 vaccine**

Although COVID-19 tends to be less severe in younger, healthy people, children and young adults can get very sick. More children, in fact, are being hospitalized with severe COVID-19 infection than earlier in the pandemic, and over 400 children have died from COVID-19 in the U.S.

The vaccine—approved for people ages 12 and up—protects children and teens from getting sick, and it can help protect others as well. If a 12- to 17-year-old gets COVID-19, there is a high risk they can transmit it to others who are at risk for more serious COVID-19. Getting the vaccine helps lower that risk.

Provided by Rush University Medical Center

Citation: Eight myths about vaccines and kids (2021, August 16) retrieved 16 March 2026 from <https://medicalxpress.com/news/2021-08-myths-vaccines-kids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.