

Automated computer program accurately counts micronuclei in cells

September 17 2021



Credit: Kindel Media from Pexels

Micronuclei, which are small nucleus-like structures within cells, are

commonly associated with tumors. Now, researchers from Tsukuba, Japan have developed an automated computer program that can accurately and reproducibly count these structures from microscope images, which will increase the speed and accuracy of micronuclei research.

In a recently published study, researchers from the University of Tsukuba reported their new MATLAB-based program, named CAMDi (Calculating Automatic Micronuclei Distinction), which automatically counts the micronuclei from images of stained cells. Micronuclei can be stained the same way as regular nuclei, but they are differentiated from nuclei by their much smaller size. However, identifying them is easier said than done, because automatic systems for counting micronuclei have traditionally used images taken from just a single level of tissue. To understand why this is important, imagine cutting a cross-section through a ball that is fixed in space. If you cut a slice closer to the top or bottom areas of the ball, the size of the cross-section would be much smaller than if you chose a slice closer to the center—so a cross-section close to the periphery of a nucleus can easily be mistaken for a micronucleus.

To combat this problem, researchers at the University of Tsukuba took photos at different levels through cells or tissue and created a program capable of analyzing the resulting three-dimensional information. In this way, they ensured that what the program counted as micronuclei were, in fact, micronuclei. They then used this program to look at micronuclei in mouse neurons and tested the effects of neuroinflammation on micronucleus numbers.

"A link has been reported between inflammation and micronuclei in [cancer cells](#)," says corresponding author of the study Dr. Fuminori Tsuruta. "We decided to test whether neuroinflammation in the brain might affect the numbers of micronuclei in neurons."

To do this, the researchers first introduced inflammatory factors into mouse neurons grown in culture, but they found no changes in micronuclei number using their CAMDi program. However, when they gave mice injections of lipopolysaccharides, which caused [inflammatory cells](#) in the hippocampal region to become activated, there was an increase in micronuclei in the hippocampal neurons.

"These results were surprising," explains Dr. Tsuruta. "They suggest that the formation of micronuclei in neurons is induced by inflammatory responses from nearby [cells](#)."

Given that micronuclei are markers of a range of pathologies, the development of this new computer [program](#) could be very important for pathological diagnoses and the tracking of treatment responses. Research into micronuclei, to better understand their formation and roles in disease, will also be enhanced by the use of CAMDi.

More information: Sarasa Yano et al, A MATLAB-based program for three-dimensional quantitative analysis of micronuclei reveals that neuroinflammation induces micronuclei formation in the brain, *Scientific Reports* (2021). [DOI: 10.1038/s41598-021-97640-6](https://doi.org/10.1038/s41598-021-97640-6)

Provided by University of Tsukuba

Citation: Automated computer program accurately counts micronuclei in cells (2021, September 17) retrieved 20 September 2024 from <https://medicalxpress.com/news/2021-09-automated-accurately-micronuclei-cells.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--