

Food craving is stronger, but controllable, for kids

September 8 2014



Children show stronger food craving than adolescents and adults, but they are also able to use a cognitive strategy that reduces craving, according to new research published in *Psychological Science*, a journal of the Association for Psychological Science.

"These findings are important because they suggest that we may have another tool in our toolbox to combat [childhood obesity](#)," says psychological scientist and lead researcher Jennifer A. Silvers, a post-doctoral fellow at Columbia University in the laboratory of Professor Kevin Ochsner.

Most interventions aimed at preventing or reducing childhood obesity focus on changing the environment—by limiting access to soda, for example, or by encouraging physical activity.

"Such environmental interventions are clearly important, but sugary sweets and tempting treats cannot always be avoided," Silvers explains. "If children as young as 6 can learn to use a cognitive strategy after just a few minutes of training, that has huge implications for interventions."

To find out how food craving and regulating food craving change with age, Silvers and colleagues had 105 healthy individuals come to the lab to participate in a neuroimaging session. The [participants](#), who ranged in age from 6 to 23 years, were shown pictures of a variety of unhealthy but appetizing salty and sweet foods while undergoing fMRI scans.

For some of the pictures, participants were told to imagine the food was in front of them and to focus on how the food tastes and smells. For the other pictures, they were told to imagine that the food was farther away and to focus on the visual aspects of the food, such as its shape and color.

After viewing each picture, the participants rated how much they wanted to eat the food they had seen.

Having the participants imagine the taste and smell of the food allowed the researchers to assess the participants' typical responses to appealing foods. Having them imagine the visual aspects of the food, a cognitive strategy that redirects attention, allowed the researchers to assess how participants regulated their responses to the food.

The study results revealed that participants of all ages reported less craving when they used the cognitive strategy of imagining the visual aspects of the food, amounting to a 16% reduction in craving.

Even when using the strategy, however, children's food cravings were still stronger than those of adolescents and adults, suggesting that foods are generally more desirable to children.

Analyses of the neuroimaging data showed that age-related reductions in craving were associated with increased activity in the lateral prefrontal cortex, which is involved in self-control, and decreased activity in the ventral striatum, which is involved in reward processing.

Children with higher weight-to-height ratios (known as Body Mass Index, or BMI) showed relatively less prefrontal activity when using the cognitive strategy to regulate food craving than did children with lower BMI, suggesting that the areas of the brain involved in regulating craving may differ depending on body mass.

"We believe this research has implications for a wide range of people, from basic scientists who are interested in how reward processing changes across the lifespan, to obesity researchers looking to devise interventions to curb childhood obesity, to parents and pediatricians trying to raise healthier and happier kids," says Silvers.

To strengthen these findings, Silvers and colleagues are now conducting a longitudinal study that examines changes in craving and regulation of craving in the same individuals over time.

And they're also planning to bring their cognitive strategy into the classroom, working with schools to see whether a cognitive training regimen might have real, positive impacts for kids.

"Having this basic knowledge in hand is critical if we want to understand how our relationship with [food](#) changes across the lifespan," Silvers concludes.

More information: *Psychological Science*,
[pss.sagepub.com/content/early/ ... 97614546001.abstract](https://pss.sagepub.com/content/early/.../97614546001.abstract)

Provided by Association for Psychological Science

Citation: Food craving is stronger, but controllable, for kids (2014, September 8) retrieved 29 September 2024 from <https://medicalxpress.com/news/2014-09-food-craving-stronger-kids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.