

Brain tumor patients should be screened for depression

April 29 2015

Because depression in brain cancer patients is a common but often overlooked condition, oncologists should regularly screen tumor patients for depression, according to an article in the current issue of *CNS Oncology*.

The authors also propose that more studies be completed to explore the efficacy of anti-[depression](#) treatments, as well as the value of depression biomarkers for future brain tumor research.

"Psychological distress is an important complication in patients with brain tumors, but often remains undiagnosed and untreated," said Adomas Bunevicius MD, PhD, lead author of the article.

"Methodologically rigorous studies aiming to identify the most optimal depression screening tools for patients with brain tumor are lacking. As a consequence, to date there are no evidence based depression diagnostic algorithms."

The authors propose that implementation of reliable depression screening algorithms in routine neuro-oncology setting could improve recognition of depression, and ultimately, improve patient outcomes. The article reviews available screening tools and recommends the use of The Hospital Anxiety and Depression Scale - Depression subscale and Patient Health Questionnaire. The authors recommend that patients who screen positive for depression be referred for detailed psychiatric assessment prior to initiating anti-depressive treatment, and that further methodologically rigorous studies investigating psychometric properties

of depression scales are urgently needed. Studies evaluating the efficacy of anti-depressive treatments and the clinical value of depression biomarkers are also important avenues for future research endeavors in brain tumor patients.

"We believe that studies aiming to improve identification and management of [psychological distress](#) should be considered a priority in the field of neuro-oncology," said Bunevicius. "Such knowledge could significantly improve quality of life and clinical outcomes for patients suffering from these devastating disorders."

The reasons cited for a deeper focus on depression in brain tumor patients are two-fold. First of all, patient-centered outcomes, including symptoms of psychological distress, are increasingly being used as secondary outcome measured in clinical trials. Therefore, accurately identifying brain tumor patients suffering from psychological distress is becoming increasingly important in both clinical practice and in research studies.

In addition, and perhaps more important to the individual patients, depression carries serious health risks for those with [brain tumors](#). Studies have associated greater depressive symptom severity with shorter overall survival of brain tumor patients, and depressive symptoms have been linked to numerous health-related aspects of quality of life. Furthermore, depression predicts cognitive impairment and puts survivors at increased risk for suicide ideation. Therefore depression should be actively sought and managed in [patients](#) with established diagnosis of a brain tumor.

"This article provides helpful practice points for the implementation of reliable [depression screening](#) in a neuro-oncology setting, and explores the efficacy of anti-depression treatments, as well as the value of depression biomarkers for future research," said Roshaine Gunawardana,

Managing Commissioning Editor.

More information: Bunevicius A, Prankeviciene, A. Depression screening in patients with brain tumors: a review. *CNS Oncology*. (04(02) and 71–78) (2015) www.futuremedicine.com/doi/abs/10.2217/cns.14.60

Provided by Future Science Group

Citation: Brain tumor patients should be screened for depression (2015, April 29) retrieved 20 May 2024 from <https://medicalxpress.com/news/2015-04-brain-tumor-patients-screened-depression.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.