

First Research Confirms That Eating Slowly Inhibits Appetite

November 15 2006

For more than 30 years, dieters have been told to eat slowly to reduce their intake of food. But until now, there has been no scientific evidence to support the theory.

“It started in about 1972 as a hypothesis that eating slowly would allow the body time for the development of satiety [fullness] and we would eat less,” said Kathleen Melanson, assistant professor of nutrition and food science at the University of Rhode Island. “Since then we’ve heard it everywhere and it has become common knowledge. But no studies had been conducted to prove it.”

In fact, early evidence suggested the opposite to be true. In the 1990s, one study examined the role of small bite sizes and found no effects, while a study of pauses between bites actually showed increased food consumption with more pauses.

But a laboratory study of college-age women over the past year led by Melanson confirmed the long-held belief. The results were reported in October by research intern Ana Andrade at the annual meeting of the North American Association for the Study of Obesity.

In the study, 30 women made two visits to Melanson’s lab, and each time they were given a large plate of pasta and told to eat as much as they wanted. When they were told to eat quickly, they consumed 646 calories in nine minutes, but when they were encouraged to pause between bites and chew each mouthful 15 to 20 times, they ate just 579 calories in 29

minutes.

“Satiety signals clearly need time to develop,” Melanson concluded. “Not only did the women take in fewer calories when they ate more slowly, they had a greater feeling of satiety at meal completion and 60 minutes afterwards, which strongly suggests benefits to eating more slowly.”

The women also judged themselves as having enjoyed the meal more when they ate slowly than when they ate quickly, Melanson added.

One potentially confounding factor in the study was that the volunteers were provided water to drink with their meal, and when eating slowly they had considerably more time to drink before completing their meal. The greater consumption of water might have contributed to satiety under the slow condition. However, Melanson said that this factor reflects the real-world situation, since eating slowly allows more time for water consumption. She will conduct follow-up studies next spring that factor in water consumption as well as the consumption of higher calorie beverages like soft drinks or juices.

Additional studies will be conducted in 2007 to determine if there are different results for other groups of individuals. Melanson also plans to study “the physiological signals that suppress hunger or enhance satiety to see if there is a mechanistic explanation for our results.”

Source: University of Rhode Island

Citation: First Research Confirms That Eating Slowly Inhibits Appetite (2006, November 15)
retrieved 2 April 2023 from

<https://medicalxpress.com/news/2006-11-slowly-inhibits-appetite.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.