

Musicians use both sides of their brains more frequently than average people

October 2 2008

Supporting what many of us who are not musically talented have often felt, new research reveals that trained musicians really do think differently than the rest of us. Vanderbilt University psychologists have found that professionally trained musicians more effectively use a creative technique called divergent thinking, and also use both the left and the right sides of their frontal cortex more heavily than the average person.

The research by Crystal Gibson, Bradley Folley and Sohee Park is currently in press at the journal *Brain and Cognition*.

"We were interested in how individuals who are naturally creative look at problems that are best solved by thinking 'out of the box'," Folley said. "We studied musicians because creative thinking is part of their daily experience, and we found that there were qualitative differences in the types of answers they gave to problems and in their associated brain activity."

One possible explanation the researchers offer for the musicians' elevated use of both brain hemispheres is that many musicians must be able to use both hands independently to play their instruments.

"Musicians may be particularly good at efficiently accessing and integrating competing information from both hemispheres," Folley said. "Instrumental musicians often integrate different melodic lines with both hands into a single musical piece, and they have to be very good at

simultaneously reading the musical symbols, which are like left-hemisphere-based language, and integrating the written music with their own interpretation, which has been linked to the right hemisphere."

Previous studies of creativity have focused on divergent thinking, which is the ability to come up with new solutions to open-ended, multifaceted problems. Highly creative individuals often display more divergent thinking than their less creative counterparts.

To conduct the study, the researchers recruited 20 classical music students from the Vanderbilt Blair School of Music and 20 non-musicians from a Vanderbilt introductory psychology course. The musicians each had at least eight years of training. The instruments they played included the piano, woodwind, string and percussion instruments. The groups were matched based on age, gender, education, sex, high school grades and SAT scores.

The researchers conducted two experiments to compare the creative thinking processes of the musicians and the control subjects. In the first experiment, the researchers showed the research subjects a variety of household objects and asked them to make up new functions for them, and also gave them a written word association test. The musicians gave more correct responses than non-musicians on the word association test, which the researchers believe may be attributed to enhanced verbal ability among musicians. The musicians also suggested more novel uses for the household objects than their non-musical counterparts.

In the second experiment, the two groups again were asked to identify new uses for everyday objects as well as to perform a basic control task while the activity in their prefrontal lobes was monitored using a brain scanning technique called near-infrared spectroscopy, or NIRS. NIRS measures changes in blood oxygenation in the cortex while an individual is performing a cognitive task.

"When we measured subjects' prefrontal cortical activity while completing the alternate uses task, we found that trained musicians had greater activity in both sides of their frontal lobes. Because we equated musicians and non-musicians in terms of their performance, this finding was not simply due to the musicians inventing more uses; there seems to be a qualitative difference in how they think about this information," Folley said.

The researchers also found that, overall, the musicians had higher IQ scores than the non-musicians, supporting recent studies that intensive musical training is associated with an elevated IQ score.

Source: Vanderbilt University

Citation: Musicians use both sides of their brains more frequently than average people (2008, October 2) retrieved 30 April 2024 from <https://medicalxpress.com/news/2008-10-musicians-sides-brains-frequently-average.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|