

Sleep problems may be a link between perceived racism and poor health

June 14 2011

Perceived racial discrimination is associated with an increased risk of sleep disturbance, which may have a negative impact on mental and physical health, suggests a research abstract that will be presented Tuesday, June 14, in Minneapolis, Minn., at SLEEP 2011, the 25th Anniversary Meeting of the Associated Professional Sleep Societies LLC (APSS).

Results show that perceived racism was associated with an elevated risk of self-reported sleep disturbance, which was increased by 61 percent after adjusting for socioeconomic factors and [symptoms of depression](#). A similar relationship between perceived racism and daytime fatigue was no longer significant after additional adjustment for depressive symptoms.

"This study found that an environmental stressor that exists purely at the social level - perceived racial discrimination - had a hand in how likely a person was to experience disturbed sleep," said lead author Michael A. Grandner, PhD, Postdoctoral Fellow at the Center for Sleep and Circadian Neurobiology at the University of Pennsylvania in Philadelphia, Pa. "The most surprising finding in this study was that individuals who perceived racial discrimination were more likely to experience [sleep difficulties](#), and it did not matter if they were Black or White, men or women, rich or poor, or even if they were otherwise depressed or not, since these were adjusted for in the statistical analysis."

The study involved an analysis of data from the 2006 [Behavioral Risk](#)

[Factor](#) Surveillance System, which is administered by the [Centers for Disease Control and Prevention](#). The world's largest, ongoing telephone health survey, it is an annual, state-based, random-digit-dialed survey of American adults. Grandner and colleagues analyzed responses from 7,093 people in Michigan and Wisconsin, which were the only states to collect data on both sleep and racism.

Perceived racism was assessed with the question: "Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?" Responses were dichotomized as either "worse" or "same or better." Respondents were classified as having sleep disturbance if they reported having difficulty sleeping at least six nights in the past two weeks.

Grandner noted that people who experience [racial discrimination](#) are more likely to have poor mental and physical health. The results suggest that sleep may be an important pathway linking discrimination with health problems.

"Sleep is essential for health, and many processes in our body depend on sleep to function properly," he said. "Disturbed sleep may be a factor that contributes to heart disease, diabetes, weight gain, depression, cancer, auto accidents, poor performance, and many other important outcomes. And even though sleep is a biological process, it can be affected by social environments."

Provided by American Academy of Sleep Medicine

Citation: Sleep problems may be a link between perceived racism and poor health (2011, June 14) retrieved 17 May 2024 from

<https://medicalxpress.com/news/2011-06-problems-link-racism-poor-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.