

New model for studying germ cell tumors in testes enlists embryonic stem cells

July 11 2011

A team of researchers from Spain and Switzerland have developed a new model for studying the development of testicular germ cell tumors by transplanting embryonic stem cells into the seminiferous tubules in mouse models, resulting in the development of testicular germ cell tumors (TGCT) that mimic the early stages of TGCT development. The study, published in *Cell Transplantation* (20:5), is now freely available online.

"Over the last fifteen years, cell transplantation into seminiferous tubules has become a valuable tool for studying germinal cell biology," said the study's corresponding author Dr. Juan Arechaga of the University of Basque Country, Spain. "The blood-testes permeability barrier establishes a sealed compartment that protects against influences such as immunological rejection. Thus, our lab has developed a tumor assay to study the [cancer invasion](#) process in testicular germ cell tumors using [embryonic stem cells](#) injected into the seminiferous tubules."

According to Dr. Arechaga, the tumors generated by the transplantation of early embryos possess gene expressions and differentiation patterns similar to those in testicular germ cell tumors.

The researchers point out that testicular germ cell tumors are uncommon in non-human animals, so there have been no previously suitable animal models for study. However these tumors appear to be genetically regulated and the specific genes related to the development of this kind of tumor have been identified.

"Embryonic [stem cell transplantation](#) into mouse seminiferous tubules represents a model with very valuable potential applications because it mimics the pre-invasive state of TGCTs," said Dr. Arechaga. "[Donor cells](#) can be transfected with different transgenes before transplantation to evaluate certain genes during the invasive process."

The authors also note that the approach could also be useful in screening novel [therapeutic drugs](#), including inhibitors of angiogenesis and metastasis, to potentially treat TGCTs.

"This study demonstrates the development of an animal model of testicular germ cell tumor formation" said Dr. David Eve, associate editor of *Cell Transplantation* and Instructor at the Center of Excellence for Aging and Brain Repair, University of South Florida. "Study of this model will further our understanding of how testicular cancers arise and potential ways to treat it."

More information: Silván, U.; Díez-Torre, A.; Andrade, R.; Arluzea, J.; Silió, M.; Aréchaga, J. Embryonic Stem Cell Transplantation Into Seminiferous Tubules: A Model for the Study of Invasive Germ Cell Tumors of the Testis. *Cell Transplant.* 20(5):637-642; 2011.
www.ingentaconnect.com/content/cog/ct/

Provided by Cell Transplantation Center of Excellence for Aging and Brain Repair

Citation: New model for studying germ cell tumors in testes enlists embryonic stem cells (2011, July 11) retrieved 25 April 2024 from <https://medicalxpress.com/news/2011-07-germ-cell-tumors-embryonic-stem.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.