

Obesity and depression independently increase health costs

October 31 2011

Obesity and depression both dramatically increase health care costs, but they mainly act separately, according to a study published in the November 2011 *Journal of General Internal Medicine* by Group Health Research Institute scientists. Gregory Simon, MD, MPH, a Group Health psychiatrist and Group Health Research Institute senior investigator, led the research.

"Previous research shows that both depression and obesity are associated with higher [health care](#) costs," he said. "But depression and obesity often occur together, so it was important to know if the relationship between obesity and cost is really due to depression -- or vice versa."

Simon and his colleagues tested whether depression confounds the increase in health care use that is associated with obesity. Confounding means an apparent connection -- such as the link between increased health care costs and obesity -- is influenced or even caused by a third factor. In this study, the authors tested if depression confounds the increase in health care seen in [obese patients](#).

The study used telephone interviews to determine obesity and depression, and Group Health's extensive medical records to calculate health care costs for 4,462 women aged 40. All were enrolled in Group Health Cooperative, a nonprofit [health care system](#) in Washington and northern Idaho. Obesity was measured as [body mass index](#) (BMI), a standard obesity measure that is calculated from height and weight. A BMI below 25 is considered normal weight, 25-30 considered

overweight, and over 30 is considered obese. Depression was measured with a 9-item [American Psychiatric Association](#) questionnaire.

The researchers found:

- In middle-aged women, health care costs increased with obesity. Specifically, costs increased 65 percent in women with a BMI of 30-35, and 157 percent in women with a BMI higher than 35, compared to women of normal weight.
- The trend was similar for all types of health care that the researchers examined: primary care, outpatient prescriptions, specialist visits, inpatient care, and mental health care.
- Health care costs increased with higher depression scores, but depression was not a major confounder of the obesity results.
- Even accounting for depression, health costs increased with every rise in BMI category.

The study concluded that in this population of women, obesity is associated with higher health care costs, but not because of co-occurring depression. Similarly, depression is associated with higher costs, but not because of co-occurring obesity. These higher costs have an economic impact. Increased costs associated with depression were spread across all types of health care, not just mental health care.

"Obesity and depression are both very common," Dr. Simon said, "so the increased costs we find add up to a very large amount in the general population." The relationships among obesity, depression, and chronic illness related to obesity are complex, as are the effects of depression on behavior and health. But one thing is clear, the study's authors said: Effective [obesity](#) prevention is a crucial factor in tackling our rising [health care costs](#).

Provided by Group Health Research Institute

Citation: Obesity and depression independently increase health costs (2011, October 31)
retrieved 2 May 2024 from

<https://medicalxpress.com/news/2011-10-obesity-depression-independently-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.