

# Declines in melanoma deaths limited to the most educated

January 16 2012

---

A new study from the American Cancer Society finds recent declines in melanoma mortality rates in non-Hispanic Whites in the U.S. mainly reflect declines in those with the highest level of education, and reveals a widening disparity in melanoma mortality rates by education. The authors say the findings call for early detection strategies to effectively target high-risk, low-educated, non-Hispanic White individuals. The study is published Online First by *Archives of Dermatology*.

Since the early 1990s, overall melanoma mortality rates among Non-Hispanic Whites (ages 25 to 64 years) have been declining in men and women. But it has not been known whether these [death rates](#) might differ according to socioeconomic status (SES).

To study whether melanoma death rate trends might differ according to SES, researchers led by Vilma Cokkinides, Ph. D, reviewed death certificates from 26 states, representing approximately 45 percent of the U.S. population. They found melanoma mortality declined about ten percent between over the latest ten-year span (1993-97 to 2003-07) in both men (RR= 0.916, 95% C.I.= 0.878, 0.954) and women (RR = 0.907, 95% C.I.= 0.857, 0.957).

However, declines occurred only among those with at least 13 years of education or more, irrespective of sex. In fact, there were actually non-significant increases among the least educated individuals. As a result, the educational gap in melanoma mortality rates widened by 51.7% in men and by 35.7% in women between the two time periods (1993-97

and 2003-07).

"To our knowledge, this is the first study to document this education gap in melanoma mortality trends among Non-Hispanic Whites in the U.S.," said Dr. Cokkinides. "The reasons for the widening of the educational gap in [mortality rates](#) are not yet understood, but we do know the cornerstone of melanoma control is recognizing the signs of melanoma early. Lower [socioeconomic status](#) is associated with suboptimal knowledge and awareness of melanoma, inadequate health insurance, and lower rates of skin self-examination or physician screening."

The authors conclude recent declines in melanoma mortality are largely confined to more educated groups, and that an increasingly disproportionate burden of fatal [melanoma](#) among low SES populations calls for more vigilant primary and secondary prevention education campaigns directed to high-risk, low SES individuals and the physicians that care for them.

Provided by American Cancer Society

Citation: Declines in melanoma deaths limited to the most educated (2012, January 16) retrieved 2 May 2024 from

<https://medicalxpress.com/news/2012-01-declines-melanoma-deaths-limited.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--