

## Youth seeking weight loss treatment report bullying by those they trust

December 27 2012, by Megan Orciari

---



(Medical Xpress)—Even as adolescents struggle to lose weight through treatment programs, they often continue to experience weight-based discrimination—not just from their peers, but from adults they trust, including parents and teachers. The study by researchers at the Rudd Center for Food Policy & Obesity at Yale appears online in the journal *Pediatrics*, and is the first comprehensive examination of how weight-based victimization impacts youth seeking weight-loss treatment.

The researchers conducted a survey of 361 [adolescents](#) enrolled in two national weight-loss camps, and asked them about the nature and extent of victimization they had experienced because of their weight.

The majority of adolescents reported that they were teased and bullied most at school, with reports of victimization highest among those who were the heaviest. Most adolescents reported being victimized for over a year, and some reported they were teased and bullied for five years or more. For some, the victimization continued even after losing weight.

Although [peers](#) and friends were the most commonly reported perpetrators of teasing and bullying, high percentages of adolescents also reported being teased and bullied about their weight by trusted [adults](#), including physical education teachers and sports coaches (42%), parents (37%), and classroom teachers (27%). Weight-based victimization was most frequently experienced as verbal teasing, followed by relational victimization (being ignored and excluded by peers), cyber-bullying, and physical aggression.

"While our findings suggest that teasing and bullying may be inevitable for the heaviest youth, it is striking that even formerly overweight youth who have lost weight and whose body weight is now considered healthy may still be vulnerable to weight-based victimization," says lead author Rebecca Puhl, the Rudd Center's director of research.

"It's also concerning that over a third of adolescents reported weight-based victimization from parents," Puhl adds. "These findings highlight the need for parental education so that parents can use more sensitive and supportive strategies when talking about weight-related health with their child."

The authors assert that health providers, school personnel, and weight loss program staff can all play a role in helping these youth by looking for signs of teasing, bullying, or associated psychological distress; identifying whether youth have a support system in place to deal with bullying; sharing concerns about bullying with parents; and assisting in efforts to obtain resources for youth in need of support.

Provided by Yale University

Citation: Youth seeking weight loss treatment report bullying by those they trust (2012, December 27) retrieved 11 May 2024 from <https://medicalxpress.com/news/2012-12-youth-weight-loss-treatment-bullying.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.