

Smoking bans linked with 'successive reductions' in preterm birth

February 14 2013

The study supports the notion that smoking bans have public health benefits from early life.

It is well established that smoking during pregnancy impairs the growth of an unborn child and shortens gestation. Exposure to second-hand smoke has also been found to affect birth outcomes, yet little is known about the impact of recent smoke-free legislation on birth weight and preterm birth.

So a team of researchers, lead by Dr Tim Nawrot from Hasselt University, investigated whether recent smoking bans in Belgium were followed by changes in preterm delivery. In Belgium, smoke-free legislation was implemented in three phases (in public places and most workplaces in January 2006, in restaurants in January 2007, and in bars serving food in January 2010).

The researchers analysed 606,877 live, single-born babies delivered at 24-44 weeks of gestation in Flanders from 2002 to 2011. Preterm birth was defined as birth before 37 weeks.

They found reductions in the risk of [preterm birth](#) after the introduction of each phase of the smoking ban. No decreasing trend was evident in the years or months before the bans.

The results show a reduction in the risk of preterm births of 3.13% on 1 January 2007 (ban on smoking in restaurants), and a further reduction in

the risk of 2.65% after 1 January 2010 (ban on smoking in bars serving food). These changes could not be explained by several other factors - both at the individual level, such as mother's age and socioeconomic status - and at the population level, such as changes in [air pollution](#) and [influenza epidemics](#).

Given that even a mild reduction in gestational age has been linked in other studies to adverse [health outcomes](#) in early and later life, our study has important public health implications, say the authors.

"Our study shows a consistent pattern of reduction in the risk of preterm delivery with successive population interventions to restrict smoking. It supports the notion that smoking bans have public health benefits even from early life. More and more countries in Europe are adopting stricter legislation on [smoking](#) in public places. These results underscore the [public health](#) benefit of [smoking ban](#) policies."

Provided by British Medical Journal

Citation: Smoking bans linked with 'successive reductions' in preterm birth (2013, February 14) retrieved 8 May 2024 from

<https://medicalxpress.com/news/2013-02-linked-successive-reductions-preterm-birth.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--