

Most effective PTSD therapies are not being widely used, researchers find

April 11 2013

Post-traumatic stress disorder affects nearly 8 million adults in any given year, federal statistics show. Fortunately, clinical research has identified certain psychological interventions that effectively ameliorate the symptoms of PTSD. But most people struggling with PTSD don't receive those treatments, according to a new report published in *Psychological Science in the Public Interest*.

In the report, internationally renowned trauma expert Edna Foa of the University of Pennsylvania and a team of distinguished psychological scientists review studies describing interventions that can effectively treat PTSD.

Foa, an Association for [Psychological Science](#) fellow, pioneered the use of prolonged [exposure therapy](#) (PE), in which patients approach—in both imaginary and real-life settings—situations, places, and people they have been avoiding. The repeated exposure to the perceived threat disconfirms individuals' expectations of experiencing harm and, over time, leads to a reduction in their fear. Foa authored the new report with Seth Gillihan of Haverford College in Pennsylvania and Richard Bryant of the University of [New South Wales](#) in Sydney, Australia.

Over years of testing, PE and other forms of [cognitive behavioral therapy](#) have proved highly effective in addressing the distress and dysfunctional problems that trauma victims experience. However, the majority of [mental health professionals](#) do not use such evidence-based treatments (EBTs) when working with patients suffering from PTSD, the

researchers write.

Many clinicians believe that good psychotherapy should be individualized and should focus on the underlying causes of one's problems and symptoms. But studies show scant evidence that psychodynamic therapy—which focuses on such issues as difficult childhood relationship with parents—effectively eases PTSD symptoms, according to the report.

Foa and her colleagues say their findings are important given that traumatic events such as [natural disasters](#), terrorist attacks, and gun violence are on the rise.

Recent history offers prime examples of that trend. More than 273,000 Iraq and Afghanistan war veterans have sought treatment for [post-traumatic stress disorder](#) over the past decade, the U.S. Department of Veterans Affairs reports. Researchers at Harvard Medical School found that at least one-third of residents in the path of Hurricane Katrina suffered some form of post-traumatic stress after the 2005 storm. And in the two months following last year's tragic mass shooting at Sandy Hook Elementary School in Connecticut, more than 16 percent of Newtown, Connecticut's police force had missed work because of PTSD-related issues, according to news reports.

"Not counting traumatic events that are experienced by individuals as opposed to entire populations, the number of people who need help for their PTSD and related symptoms is mind boggling," Foa and her co-authors write.

"Thus PTSD treatment researchers are acutely aware of the tremendous need to disseminate effective treatments widely such that patients have access to them, and are also aware of the challenges to successfully meet this need."

The report, "Challenges and Successes in Dissemination of Evidence-Based Treatments for Posttraumatic Stress: Lessons Learned From Prolonged Exposure Therapy for PTSD," is accompanied by an editorial from Bradley E. Karlin and Madhulika Agarwal of the U.S. Department of Veterans Affairs Central Office in Washington, DC.

More information: The full report and the accompanying editorial are available free online at www.psychologicalscience.org/irnals/pspi/ptsd.html

Provided by Association for Psychological Science

Citation: Most effective PTSD therapies are not being widely used, researchers find (2013, April 11) retrieved 25 April 2024 from <https://medicalxpress.com/news/2013-04-effective-ptsd-therapies-widely.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
