

Lazy eye disorder: A promising new therapeutic approach

April 22 2013

A research team led by Dr. Robert Hess from McGill University and the Research Institute of the McGill University Health Centre (RI-MUHC) has used the popular puzzle video game Tetris in an innovative approach to treat adult amblyopia, commonly known as "lazy eye". By distributing information between the two eyes in a complementary fashion, the video game trains both eyes to work together, which is counter to previous treatments for the disorder (e.g. patching).

This <u>medical breakthrough</u> provides direct evidence that alleviating suppression of the weaker eye, by forcing both eyes to cooperate, increases the level of plasticity in the brain and allows the amblyopic brain to relearn. The research is published in the prestigious journal *Current Biology*.

Amblyopia is the most common cause of visual impairment in childhood, affecting up to 3 per cent of the population. It is caused by poor processing in the brain, which results in suppression of the weaker eye by the stronger eye. Previous treatments for the disorder, which have focused largely on covering the stronger eye in order to force the weaker eye to work, have proven only partially successful in children and have been ineffective in adults.

"The key to improving vision for adults, who currently have no other treatment options, was to set up conditions that would enable the two eyes to cooperate for the first time in a given task," says Dr. Robert Hess, senior author of the paper and Director of Research Department of



Ophthalmology at the RI-MUHC and at McGill University.

According to Dr. Hess and his colleagues, the adult <u>human brain</u> has a significant degree of plasticity and this provides the basis for treating a range of conditions where vision has been lost as a result of a disrupted period of early visual development in childhood. The researchers examined the potential of treating amblyopic adults using the <u>video game</u> Tetris, which involves connecting different shaped blocks as they fall to the ground.

"Using head-mounted video goggles we were able to display the game dichoptically, where one eye was allowed to see only the falling objects, and the other eye was allowed to see only the ground plane objects," explains Dr. Hess, who also serves as director of McGill Vision Research. "Forcing the eyes to work together, we believed, would improve vision in the <u>lazy eye</u>."

The researchers tested a sample of 18 adults with amblyopia. Nine participants played the game monocularly with the weaker eye, while the stronger eye was patched; the other nine played the same game dichoptically, where each eye was allowed to view a separate part of the game. After two weeks, the group playing the dichoptic game showed a dramatic improvement in the vision of the weaker eye as well as in 3-D depth perception. When the monocular patching group, who had showed only a moderate improvement, was switched to the new dichoptic training, the vision of this group also improved dramatically.

The suitability of this treatment in children will be assessed later this year in a clinical trial across North America.

Provided by McGill University Health Centre



Citation: Lazy eye disorder: A promising new therapeutic approach (2013, April 22) retrieved 2 May 2024 from https://medicalxpress.com/news/2013-04-lazy-eye-disorder-therapeutic-approach.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.