

# Think before you drink: Erosion of tooth enamel from soda pop is permanent

August 7 2013, by Vicky Cerino

---

(Medical Xpress)—You may be saving calories by drinking diet soda, but when it comes to enamel erosion of your teeth, it's no better than regular soda.

In the last 25 years, Kim McFarland, D.D.S., associate professor in the University of Nebraska Medical Center College of Dentistry in Lincoln, has seen an increase in the number of [dental patients](#) with erosion of the [tooth enamel](#) – the protective layer of the tooth. Once erosion occurs, it can't be reversed and affects people their whole life.

"I'd see erosion once in a while 25 years ago but I see much more prevalence nowadays," Dr. McFarland said. "A lot of young people drink massive quantities of soda. It's no surprise we're seeing more sensitivity."

Triggers like hot and cold drinks – and even cold air – reach the tooth's nerve and cause pain. Depending on the frequency and amount of soda consumed, the erosion process can be extreme.

She said the National Soft Drink Association estimates the average American drinks 44 gallons of soda a year. Phosphoric and [citric acid](#), which are common ingredients in many popular sodas and diet sodas, alters the pH balance in the mouth and can cause [tooth erosion](#) over time.

"It can be more harmful than cavities because the damage causes [tooth sensitivity](#)," Dr. McFarland said. "If a tooth is decayed, a dentist can fix

it by placing a filling, but if a tooth is sensitive there is really nothing a dentist can do.

"Tooth sensitivity can become a lifetime problem, limiting things we like to drink and even [food choices](#). "It hurts to consume cold and hot foods and beverages. Some of my patients tell me when they go outside in the winter they don't open their mouth because the cold air causes pain."

You could crown all your teeth but that is costly and a rather extreme solution."

Dr. McFarland said a significant number of scientific studies have shown a relationship between the consumption of soda and enamel erosion and cavities.

She said it's best not to drink soda at all, but she offers tips for those who continue to drink it:

- Limit consumption of soda to meal time;
- Don't drink soda throughout the day;
- Brush your teeth afterwards—toothpaste re-mineralizes or strengthens areas where acid weakened the teeth;
- If tooth brushing is not possible, at least rinse out your mouth with water;
- Chew sugar free gum or better yet, gum containing Xylitol.

Provided by University of Nebraska Medical Center

Citation: Think before you drink: Erosion of tooth enamel from soda pop is permanent (2013, August 7) retrieved 6 May 2024 from <https://medicalxpress.com/news/2013-08-erosion-tooth-enamel-soda-permanent.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.