

# Scientists discover a novel opiate addiction switch in the brain

September 10 2013

---

Neuroscientists at Western University (London, Canada) have made a remarkable new discovery revealing the underlying molecular process by which opiate addiction develops in the brain. Opiate addiction is largely controlled by the formation of powerful reward memories that link the pleasurable effects of opiate-class drugs to environmental triggers that induce drug craving in individuals addicted to opiates. The research is published in the September 11th issue of *The Journal of Neuroscience*.

The Addiction Research Group led by Steven Laviolette of the Schulich School of Medicine & Dentistry was able to identify how exposure to heroin induces a specific switch in a memory molecule in a region of the brain called the basolateral amygdala, which is involved importantly in controlling memories related to opiate addiction, withdrawal, and relapse. Using a rodent model of opiate addiction, Laviolette's team found that the process of opiate addiction and withdrawal triggered a switch between two molecular pathways in the amygdala controlling how opiate addiction memories were formed. In the non-dependent state, they found that a molecule called extracellular signal-related kinase or "ERK" was recruited for early stage addiction memories. However, once opiate addiction had developed, the scientists observed a functional switch to a separate molecular memory pathway, controlled by a molecule called calmodulin-dependent kinase II or "CaMKII".

"These findings will shed important new light on how the brain is altered by opiate drugs and provide exciting new targets for the development of novel pharmacotherapeutic treatments for individuals suffering from

chronic opiate addiction," says Laviolette, an associate professor in the Departments of Anatomy & Cell Biology, Psychiatry, and Psychology.

**More information:** The paper is titled "Opiate Exposure and Withdrawal Induces a Molecular Memory Switch in the Basolateral Amygdala Between ERK1/2 and CaMKII-Dependent Signaling Substrates."

Provided by University of Western Ontario

Citation: Scientists discover a novel opiate addiction switch in the brain (2013, September 10) retrieved 20 March 2024 from <https://medicalxpress.com/news/2013-09-scientists-opiate-addiction-brain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--