

Advanced 3-D facial imaging may aid in early detection of autism

January 14 2015



Miles was part of the team that helped identify facial measurements in children with autism that may lead to a screening tool for young children and provide clues to its genetic causes. Credit: Rebecca F. Miller

Autism is a spectrum of closely related disorders diagnosed in patients who exhibit a shared core of symptoms, including delays in learning to communicate and interact socially. Early detection of autism in children is the key for treatments to be most effective and produce the best outcomes. Using advanced three-dimensional imaging and statistical

analysis techniques, researchers at the University of Missouri have identified facial measurements in children with autism that may lead to a screening tool for young children and provide clues to its genetic causes.

"We want to detect the specific facial traits of the face of a child with autism," said Ye Duan, associate professor of computer science in the College of Engineering at MU. "Doing so might help us define the facial structures common to children with autism and potentially enable early screening for the disorder."

Expanding upon previous studies using two-dimensional imaging, Duan, working with Judith Miles, professor emerita of child health-genetics in the MU Thompson Center for Autism and Neurodevelopmental Disorders at MU, used a system of cameras to photograph and generate [three-dimensional images](#) of children's faces.

The children selected were between 8 and 12 years old. One group of children had been diagnosed with autism by the Thompson Center; the other group consisted of typically developing children. Researchers photographed the faces of children using three-dimensional imaging, which allowed scientists to measure distances along the curvature of the face rather than in a straight line as had been done in previous tests. Duan then ran sophisticated statistical analyses to measure minute differences in the facial measurements of each group.

"It all started from a clinical observation," Miles said. "Over years of treating children, I noticed that a portion of those diagnosed with autism tend to look alike with similar facial characteristics. I thought perhaps there was something more than coincidence at play. The differences were not abnormal, rather they appeared analogous to similarities observed among siblings. Using three-dimensional images and statistical analysis, we created a 'fine-tuned map' of children's faces and compared

those measurements to the various symptoms they exhibit. By clustering the groups based on their facial measurements and recording their autism symptoms, we wanted to determine whether subgroups based on [facial structure](#) correlate with autism symptoms and severity."

The group's analyses revealed three distinct subgroups of [children](#) with autism who had similar measurement patterns in their facial features. These subgroups also shared similarities in the type and severity of their autism symptoms.

Miles said that next steps include inviting other research groups to replicate our findings and to perform DNA analyses to look for specific genes associated with each subgroup. Identifying genes associated with each subtype of autism could potentially lead to the development of more effective treatments and drug therapies, she said.

The team's paper, "Facial structure analysis separates [autism](#) spectrum disorders into meaningful clinical subgroups," was published in the *Journal of Autism and Developmental Disorders*.

More information: [link.springer.com/article/10.1 ... 03-014-2290-8#page-1](https://link.springer.com/article/10.1007/s10803-014-2290-8#page-1)

Provided by University of Missouri-Columbia

Citation: Advanced 3-D facial imaging may aid in early detection of autism (2015, January 14) retrieved 3 May 2024 from <https://medicalxpress.com/news/2015-01-advanced-d-facial-imaging-aid.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.