

Estimates of childhood ADHD worldwide differ significantly

March 4 2015



(HealthDay)—About 7 percent of children worldwide have attentiondeficit/hyperactivity disorder (ADHD), new research concludes. The study was published online March 3 in *Pediatrics*.

The estimate comes in lower than the latest data from the U.S. Centers for Disease Control and Prevention, which reports that 11 percent of U.S. school-age children had been diagnosed with ADHD by 2011. However, it is double a worldwide ADHD estimate of 3.4 percent published in the *Journal of Child Psychology and Psychiatry* earlier this year.

In the new study, researchers examined decades' worth of research on ADHD and came up with 175 studies containing 179 estimates of ADHD prevalence. When pooled together, the combined results



contained data on more than one million children over a period of 36 years. The studies took place in North America and Europe. All the data added up to a worldwide ADHD estimate of 7.2 percent, with a range running from 6.7 to 7.8 percent, according to the report. The lead author Rae Thomas, B.Ed., Ph.D., of Bond University in Robina, Australia, told *HealthDay* that the estimate did vary between versions of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM)—studies based on the DSM-IV had an average prevalence of 7.7 percent, while the DSM-III-based studies estimated 5.6 percent and the DSM-IIIR estimated 4.7 percent. The included studies also varied widely in their estimates of ADHD, from a low of 0.2 percent to a high of 34 percent, she said.

Critics say there may be serious problems with the way the team came to their conclusions, noting the research pools together dozens of studies that used a wide variety of criteria to determine whether <u>children</u> had ADHD.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2015 HealthDay. All rights reserved.

Citation: Estimates of childhood ADHD worldwide differ significantly (2015, March 4) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2015-03-childhood-adhd-worldwide-differ-significantly.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.