

Eating eggs reduces risk of type 2 diabetes

April 2 2015

Egg consumption may reduce the risk of type 2 diabetes, according to new research from the University of Eastern Finland. The findings were published in *American Journal of Clinical Nutrition*.

Type 2 [diabetes](#) is becoming increasingly widespread throughout the world. Research has shown that [lifestyle habits](#), such as exercise and nutrition, play a crucial role in the development of the disease. In some studies, high-cholesterol diets have been associated with disturbances in glucose metabolism and risk of [type 2 diabetes](#). In contrast, in some experimental studies, the consumption of eggs has led to improved glucose balance, among other things. However, there is no experimental data available on the effects of egg consumption on the incidence of type 2 diabetes. In population-based studies, too, the association between egg consumption and type 2 diabetes has been investigated only scarcely, and the findings have been inconclusive. Egg consumption has either been associated with an elevated risk, or no association has been found.

The dietary habits of 2,332 men aged between 42 and 60 years were assessed at the baseline of the Kuopio Ischaemic Heart Disease Risk Factor Study, KIHD, at the University of Eastern Finland in 1984–1989. During a follow-up of 19.3 years, 432 men were diagnosed with type 2 diabetes.

The study found that egg consumption was associated with a lower risk of type 2 diabetes as well as with lower blood glucose levels. Men who ate approximately four eggs per week had a 37 per cent lower risk of type 2 diabetes than men who only ate approximately one egg per week.

This association persisted even after possible confounding factors such as physical activity, [body mass index](#), smoking and consumption of fruits and vegetables were taken into consideration. The consumption of more than four eggs did not bring any significant additional benefits.

A possible explanation is that unlike in many other populations, egg consumption in Finland is not strongly associated with unhealthy lifestyle habits such as smoking, low [physical activity](#) or consumption of processed meats. In addition to cholesterol, eggs contain many beneficial nutrients that can have an effect on, for example, [glucose metabolism](#) and low-grade inflammation, and thus lower the risk of type 2 diabetes. The study also suggests that the overall health effects of foods are difficult to anticipate based on an individual nutrient such as cholesterol alone. Indeed, instead of focusing on individual nutrients, nutrition research has increasingly focused on the health effects of whole foods and diets over the past few years.

More information: "Egg consumption and risk of incident type 2 diabetes in men: The Kuopio Ischaemic Heart Disease Risk Factor Study" *Am J Clin Nutr* ajcn104109; First published online April 1, 2015. [DOI: 10.3945/ajcn.114.104109](https://doi.org/10.3945/ajcn.114.104109)

Provided by University of Eastern Finland

Citation: Eating eggs reduces risk of type 2 diabetes (2015, April 2) retrieved 26 April 2024 from <https://medicalxpress.com/news/2015-04-eggs-diabetes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.