

Profiling approach to enable right lung cancer treatment match

May 5 2015



Lung cancer

Manchester researchers have tested a new way to genetically profile lung cancer samples, potentially allowing doctors to more easily identify the most appropriate treatment for patients.

Non-small cell [lung cancer](#) (NSCLC) represents over 85% of lung cancer cases. The recent introduction of targeted therapies has led to improved patient survival, but only [patients](#) whose tumours have a specific genetic

change are eligible for such treatments.

Identifying individual patients who may benefit from targeted therapy is becoming an essential part of treatment planning, but many current genetic analysis methods such as next generation sequencing require relatively large amounts of tumour material.

Dr Fiona Blackhall, a senior lecturer in The University of Manchester's Institute of Cancer Sciences and a consultant based at The Christie NHS Foundation Trust – both part of the Manchester Cancer Research Centre – said: "Unfortunately the biopsy samples we take from these patients are generally quite small. In this study we looked at an alternative genetic screen that utilises a much smaller tissue biopsy to see if it can detect a range of changes in 26 key genes."

The Lung Cancer research group working with the Manchester Centre for Genomic Medicine used the LungCarta platform to screen tumour samples from 90 NSCLC patients. They found that they could analyse over 95% of the samples and they detected genetic changes (mutations) that could be used for selection of treatment in around half of the biopsy samples.

"This type of genetic testing appears to be a clinically useful diagnostic screening test that can be used on small biopsy samples. This should allow us to better match lung cancer patients to the right [treatment](#) and we have now started to use this method of testing to identify suitable clinical trials for our patients," added Dr Blackhall.

More information: "Tumor plasma flow determined by dynamic contrast-enhanced MRI predicts response to induction chemotherapy in head and neck cancer," *Oral Oncology*, Volume 51, Issue 5, May 2015, Pages 508-513, ISSN 1368-8375, [dx.doi.org/10.1016/j.oraloncology.2015.01.013](https://doi.org/10.1016/j.oraloncology.2015.01.013)

Provided by University of Manchester

Citation: Profiling approach to enable right lung cancer treatment match (2015, May 5) retrieved 20 March 2024 from

<https://medicalxpress.com/news/2015-05-profiling-approach-enable-lung-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.