

# Scientists discover bacterial cause behind fatal heart complications

May 15 2015

---



Researchers at the University of Liverpool's Institute of Infection and Global Health have discovered a key cause of life threatening heart complications, conditions that frequently follow severe infections with

the bacteria responsible for pneumonia and meningitis.

*Streptococcus pneumoniae* is a major human pathogen and is known to be associated with increased risk of fatal [heart](#) complications including heart failure and heart attacks.

As *Streptococcus pneumoniae* is a respiratory pathogen that does not infect the heart, however, the association with heart problems has puzzled clinicians and researchers, particularly as prompt use of antibiotics does not provide any protection from cardiac complications.

## **Heart injury**

A multidisciplinary research team, led by Professor Aras Kadioglu and Professor Cheng-Hock Toh at the University, has now shown that the cause of cardiac injury is a toxin called pneumolysin, which is released by the bacteria during infection. They found that this toxin could directly attack heart [muscle cells](#), causing injury, damage and death.

Dr Yasir Alhamdi, from the University's Institute of Infection and Global Health and lead author of the study, said: "We have discovered that the toxin pneumolysin, which is released during infection with *Streptococcus pneumoniae*, is the main reason why a significant number of patients develop rapidly progressive and fatal heart complications even if the bacteria does not directly infect the heart."

Importantly, the researchers also found that the use of antibiotics could exacerbate damage to [heart muscle](#) cells during infection with *Streptococcus pneumoniae*, as antibiotic-induced bacterial death releases large amounts of pneumolysin into the blood circulation.

## **Engineered fats**

To circumvent this problem, the team used specially engineered fat bodies, called liposomes, to bind to and neutralise pneumolysin and prevent it from damaging [heart muscle cells](#). Liverpool researchers had previously shown that liposome therapy could be used as a treatment against pneumonia and sepsis caused by *Streptococcus pneumoniae* and MRSA.

Dr Daniel Neill, who conducted the infection model work, said: "We have now shown that liposomes can also be used therapeutically to combat deadly [heart complications](#) that accompany infections caused by *Streptococcus pneumoniae*.

"This exciting new finding demonstrates that liposomes may also be of use in conjunction with antibiotics to mitigate the pathological effects of antibiotic-induced bacterial lysis."

**More information:** "Circulating Pneumolysin Is a Potent Inducer of Cardiac Injury during Pneumococcal Infection." *PLoS Pathog* 11(5): e1004836. [DOI: 10.1371/journal.ppat.1004836](https://doi.org/10.1371/journal.ppat.1004836)

Provided by University of Liverpool

Citation: Scientists discover bacterial cause behind fatal heart complications (2015, May 15) retrieved 27 April 2024 from <https://medicalxpress.com/news/2015-05-scientists-bacterial-fatal-heart-complications.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--