

# Holding on to the blues: Depressed individuals may fail to decrease sadness

June 23 2015

---



Given that depression is characterized by intense and frequent negative feelings, like sadness, it might seem logical to develop interventions that target those negative feelings. But new research suggests that even when depressed people have the opportunity to decrease their sadness, they don't necessarily try to do so. The findings are published in *Psychological Science*, a journal of the Association for Psychological Science.

"Our findings show that, contrary to what we might expect, [depressed people](#) sometimes choose to behave in a manner that increases rather than decreases their sadness," says the study's first author Yael Millgram

of The Hebrew University. "This is important because it suggests that depressed individuals may sometimes be unsuccessful in decreasing their sadness in daily life because, in some sense, they hold on to it."

Millgram and colleagues couldn't find any research that had examined the direction in which depressed people try to regulate their emotions, perhaps because it seems logical to assume that they would try to decrease their sadness if they could. The researchers set out to conduct their own series of studies to find out whether this was actually the case.

In the first study, 61 female participants were given a well-established screening measure for symptoms of depression. Participants who scored on the very low end of symptoms were classified as "nondepressed" for the study, while those who scored in the middle to high end of the range and who were also diagnosed with a major depression episode or dysthymia were classified as "depressed."

All of the participants were then asked to complete an image selection task—on each trial, the participants saw a particular image and could press one key to see it again or a different key to see a black screen for the same amount of time. The images were presented in random order and were drawn from a group of 10 happy images, 10 sad images, and 10 emotionally neutral images.

Comparing across the three types of images, the data showed that both depressed and nondepressed participants chose to see happy photos again more often than they chose to re-view the sad or neutral photos.

But, when the researchers looked specifically at how the groups responded to the sad images, they found that participants who were depressed chose to view those images again more often than the nondepressed participants did.

These findings were confirmed in a second study involving music selection. Again, the researchers found that depressed participants were more likely to choose [sad music](#) to listen to later in the study than happy or neutral music. The sad music clip was chosen by only 24% of the nondepressed participants but by 62% of the depressed participants.

"Depressed participants indicated that they would feel less sad if they listened to happy music and more sad if they listened to sad music, but they picked the sad music to listen to," says Millgram. "We were surprised that depressed participants made such choices although they were aware of how these types of music would make them feel."

And a third study showed that when participants were taught how to use cognitive reappraisal as a strategy for increasing or decreasing their emotional responses to stimuli, the depressed participants chose to increase their emotional responses to sad images more often than the nondepressed participants did. And these efforts were effective: The more participants chose to use reappraisal to increase their emotional reactions to sad images, the more their sadness increased.

The findings suggest that developing effective tools isn't enough to help people regulate their emotions in beneficial ways—they also have to be motivated to use those tools.

"The most urgent task for us is to try to understand why depressed people regulate their emotions in a manner that increases rather than decreases sadness," says Millgram.

The researchers also plan on investigating the real-world implications of choosing to increase [sadness](#) as people respond to stressful events in their daily life.

**More information:** *Psychological Science*,

[pss.sagepub.com/content/early/.../97615583295.abstract](https://pss.sagepub.com/content/early/.../97615583295.abstract)

Provided by Association for Psychological Science

Citation: Holding on to the blues: Depressed individuals may fail to decrease sadness (2015, June 23) retrieved 20 April 2024 from <https://medicalxpress.com/news/2015-06-blues-depressed-individuals-decrease-sadness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.