

Cancer treatments got gentler, yet kids' survival improved

June 1 2015, byMarilynn Marchione



Landon Kimich, 2, sleeps as he receives a chemotherapy treatment for neuroblastoma at Houston's M.D. Anderson Cancer Center on Friday, May 22, 2015. The move to make cancer treatments gentler for children has paid a double dividend: more kids are surviving than ever before, and without the long-term complications that doomed many of their peers a generation ago, new research shows. (AP Photo/Pat Sullivan)

The move to make cancer treatments gentler for children has paid a double dividend: More kids are surviving than ever before, and without

the long-term complications that doomed many of their peers a generation ago, new research shows.

Radiation and chemotherapy have saved countless children from leukemia and other types of cancer, but some of these treatments can damage the heart or other organs, problems that prove fatal years later.

In the 1990s, a push began to try to prevent these "late effects" by giving smaller, more targeted doses of radiation, avoiding certain drugs and changing the way chemo is given. But doctors worried: Would gentler treatments hurt a child's survival odds?

The new study, which tracked more than 34,000 childhood cancer survivors over several decades, gives a happy answer: No.

Survival continued to improve, even with scaled-back treatments. And fewer kids died from second cancers or heart or lung problems 15 years after their initial treatment ended.

"The field needs good news" and this study gives it, said Dr. Greg Armstrong of St. Jude Children's Research Hospital in Memphis, Tennessee. He leads the Childhood Cancer Survivor Study, funded by the National Cancer Institute.

"We have actually reduced treatment, reduced therapy," and yet improved survival, he said.

Results were discussed Sunday at an American Society of Clinical Oncology conference in Chicago.



In this 2004 photo provided by the family, Garrett Stringer, 11, right, visits his brother Gatlin, 6, during a chemotherapy session at Houston's M.D. Anderson Cancer Center. Both were successfully treated for acute lymphocytic leukemia, the most common childhood cancer. (Marsha Stringer via AP)

Treating childhood cancer is "one of the miracles of modern medicine," Armstrong said. "Fifty years ago less than 30 percent of kids would survive childhood cancer but now we know that over 80 percent will."

That high success rate allowed doctors in the 1990s to scale back certain treatments for certain types of patients to try to spare them late effects. The study compared survival odds before and after that change.

Researchers found that the death rate 15 years after treatment ended kept declining, from about 12 percent for those treated from 1970-74 to 6 percent for those treated from 1990-94. Deaths from late effects of

cancer treatment, such as heart problems, also declined over that period, from 3.5 percent to 2.1 percent.

Garrett and Gatlin Stringer, brothers from Huntsville, Texas, benefited from the change, said their physician, Dr. Michael Rytting at MD Anderson Cancer Center in Houston.



Gatlin Stringer, 14, left, and his brother, Garrett, 20, visit Houston's M.D. Anderson Cancer Center on Friday, May 22, 2015. The brothers were both successfully treated for acute lymphocytic leukemia when they were very young. (AP Photo/Pat Sullivan)

The boys had acute lymphocytic leukemia, the most common childhood cancer. When doctors first described their treatment, "we didn't really ask long-term effects, to be honest, because at the time it was really just kind of day to day," said their mother, Marsha Stringer.

Garrett, now 20 was diagnosed at age 7 and is now a 13-year survivor. Gatlin, now 14, was diagnosed at age 3 and is 11 years past his treatment.



Don Stringer, left, and his wife, Marsha, laugh with their son, Gatlin, 14, center, while visiting at Houston's M.D. Anderson Cancer Center on Friday, May 22, 2015. Gatlin and his brother Garrett were both successfully treated for acute lymphocytic leukemia when they were very young. Now, they are "amazing ... no side effects at all that we know of," Marsha says. "They're very athletic and active and have good grades." (AP Photo/Pat Sullivan)

The boys got chemo but because scans showed the disease had not spread to their spinal cords, they were spared having to have radiation.

Now, they are "amazing ... no side effects at all that we know of," their mother said. "They're very athletic and active and have good grades."



Landon Kimich, 2, sleeps as he receives a chemotherapy treatment for neuroblastoma at Houston's M.D. Anderson Cancer Center on Friday, May 22,

2015. The move to make cancer treatments gentler for children has paid a double dividend: more kids are surviving than ever before, and without the long-term complications that doomed many of their peers a generation ago, new research shows. (AP Photo/Pat Sullivan)

© 2015 The Associated Press. All rights reserved.

Citation: Cancer treatments got gentler, yet kids' survival improved (2015, June 1) retrieved 5 May 2024 from <https://medicalxpress.com/news/2015-06-cancer-treatments-gentler-kids-survival.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.