

Contrary to previous studies, diabetes affects diaphragm, smooth muscle cells differently

August 19 2015



Harold Laughlin found that diaphragm muscle cells and smooth muscle cells behave differently -- a finding that could influence future research on respiratory ailments associated with diabetes. Credit: Mizzou News

Previous studies have shown that diabetes adversely affects breathing and respiratory function. However, in the past, researchers have not differentiated diaphragm muscle cells and the muscle cells of limb skeletal muscle in their studies. Now, researchers from the University of Missouri have found that diaphragm muscle cells and other skeletal muscle cells behave differently—a finding that could influence future research on respiratory ailments associated with diabetes.

"One of the crucial problems facing individuals with Type 2 diabetes is that small blood vessels essentially disappear making it harder for [muscle cells](#), even those cells that make up the diaphragm, to respond to insulin," said M. Harold Laughlin, Curators Professor and chair of the Department of Biomedical Sciences in the College of Veterinary Medicine and an investigator at the Dalton Cardiovascular Research Center at MU. "Previous research on [respiratory distress](#) has focused on the similarities in limb [skeletal muscle cells](#) and diaphragm cells. What we found essentially contradicts previous findings and could guide future research in respiratory distress in diabetics."

Diabetes has been proven to trigger breathing difficulties and even respiratory failure in patients who have the disease and fail to maintain healthy weights. Medical treatment and care guidelines for those with diabetes often call for a combination of aerobic and endurance training to maintain healthy weights and good [respiratory function](#). Because diaphragm muscle cells are similarly arranged as other skeletal muscle cells, the two have often been studied together.

Using rats predisposed to obesity and insulin resistance, Laughlin and his team exposed the rats to two types of exercise programs over a period of several weeks. One was an endurance exercise training program in which rats performed on a treadmill for longer periods of time. The second program exposed the rats to an interval training program during which rats ran on the treadmill for shorter bursts. Then, the team evaluated

which genes were turned on or off in diaphragm arteries in the diabetic rats during exercise training.

"We found that [smooth muscle cells](#) in the arteries of the diaphragm do undergo adaptive changes in response to exercise training," Laughlin said. "However, common knowledge among researchers is that limb skeletal muscle and diaphragm muscle behave in the same manner and can thus be studied jointly. Our results indicate just the opposite—in obese patients suffering from diabetes [skeletal muscle](#) arteries and diaphragm arteries adapt to exercise in different ways. Therefore, future research studies should disassociate the two. In the future, scientists who study respiratory distress in insulin-dependent patients should seek out causes in the diaphragm independent of other skeletal muscles."

The study, "Exercise training causes differential changes in gene expression in [diaphragm](#) arteries and 2A arterioles of obese [rats](#)," recently was published in the *Journal of Applied Physiology*.

More information: *Journal of Applied Physiology*,
[jap.physiology.org/content/ear ... plphysiol.00317.2015](http://jap.physiology.org/content/ear...plphysiol.00317.2015)

Provided by University of Missouri-Columbia

Citation: Contrary to previous studies, diabetes affects diaphragm, smooth muscle cells differently (2015, August 19) retrieved 3 May 2024 from
<https://medicalxpress.com/news/2015-08-contrary-previous-diabetes-affects-diaphragm.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.