

Sugar-free drinks and lollies are bad news for teeth say dentists

November 26 2015



To keep young smiles healthy, dentists recommended limiting both sugar-free and sugary drinks and lollies.

Scientists at the University of Melbourne's Oral Health Cooperative Research Centre have warned about the damage sugar-free drinks can do to tooth enamel.

Researchers in the Centre tested 23 different types of drink, including

soft drinks and sports drinks, and found drinks that contain acidic additives and with low pH levels cause measurable damage to [dental enamel](#), even if the drink is sugar-free.

"Many people are not aware that while reducing your sugar intake does reduce your risk of dental decay, the chemical mix of acids in some foods and drinks can cause the equally damaging condition of dental erosion," Melbourne Laureate Professor Eric Reynolds, CEO of the Oral Health CRC, said.

"Dental erosion occurs when acid dissolves the hard tissues of the tooth. In its early stages erosion strips away the surface layers of [tooth enamel](#). If it progresses to an advanced stage it can expose the soft pulp inside the tooth."

Early dental erosion can usually be reversed by [oral health](#) professionals with treatments to replace lost minerals. In more advanced cases, the lost surface of a tooth may need a filling or crown.

Studies in the Oral Health CRC measured dental enamel softening and tooth surface loss following exposure to a range of drinks.

Significant findings:

- The majority of soft drinks and sports drinks caused softening of dental enamel by 30%-50%.
- Both sugar-containing and sugar-free soft drinks (including flavoured mineral waters) produced measurable loss of the tooth surface, with no significant difference between the two groups of drinks.
- Of 8 sports drinks tested, all but 2 (those with higher calcium content) were found to cause loss of dental enamel.

The Oral Health CRC has this week released a [briefing paper](#) outlining the findings of its dental erosion studies and is recommending better consumer information and product labelling to help people consider their oral health when selecting food and drink products.

Professor Reynolds says 'sugar-free' labelling does not necessarily mean a product is safe for teeth.

"We have even found sugar-free confectionery products that are labelled 'Toothfriendly' and which when tested were found to be erosive."

Preventing dental erosion:

- Check ingredients for acidic additives, especially citric acid (ingredient number 330) and phosphoric acid (ingredient number 338).
- Drink more water (preferably fluoridated) and limit [soft drinks](#) and [sports drinks](#).
- After eating or drinking acidic products, don't brush your teeth straight away as this can remove the softened [tooth](#) layer. Instead, rinse your mouth with water and wait one hour before brushing.
- Have regular check-ups with your oral health professional.

Provided by University of Melbourne

Citation: Sugar-free drinks and lollies are bad news for teeth say dentists (2015, November 26) retrieved 23 April 2024 from

<https://medicalxpress.com/news/2015-11-sugar-free-lollies-bad-news-teeth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.