

Effort to curb overuse of antibiotics amid cold, flu seasons

January 18 2016, by Lauran Neergaard



Pills. Credit: Public Domain

It's cold season and the miserable trudge in seeking antibiotics because of mucus turned green, or the cough has nagged for weeks.

Despite years of warnings, doctors still overprescribe antibiotics for acute respiratory infections even though most are caused by viruses that those drugs cannot help.

Now doctors are getting new tips on how to avoid unnecessary antibiotics for these common complaints—and to withstand the patient who's demanding one.

Sure bronchitis sounds scary. So describe it as a chest cold. And no, color changes don't mean it's time for an antibiotic.

"Antibiotics are terrific. Thank God we have them for really bad things. But we need to be judicious in the way we use them," said American College of Physicians President Dr. Wayne J. Riley, an internal medicine professor at Vanderbilt University.

Rather than sending patients off with little advice about what to do while their bodies fight off a virus, how about a prescription instead for some over-the-counter or home remedies that just might ease the cough or the pain?

"We're calling for the symptomatic prescription pad," Riley said, describing information sheets that suggest simple aids like humidifiers and plenty of fluid, have a space to scribble directions for an OTC drug—and tell patients when to return if they're not getting better. The

Centers for Disease Control and Prevention has a sample on its website.

Antibiotics are losing their effectiveness, and inappropriate prescribing is one factor. Repeated exposure can lead germs to become resistant to the drugs. The CDC estimates that drug-resistant bacteria cause 2 million illnesses and 23,000 deaths each year in the U.S.

Another reason not to use them unnecessarily: side effects. Antibiotics are implicated in 1 of 5 emergency-room visits for bad drug reactions, CDC says. Particularly troubling is an increase in severe diarrhea caused by C-diff, the *Clostridium difficile* bug that can take hold in the gut after antibiotics kill off other bacteria.

CDC has seen improvement from pediatricians in antibiotic prescribing but overuse remains a big problem for adults, especially with respiratory illnesses, said Dr. Lauri Hicks, who heads CDC's "Get Smart" antibiotic education campaign.

Monday's guidelines, from CDC and the American College of Physicians, move beyond simple statements that antibiotics don't work for viruses like the common cold or the flu. They lay out how doctors begin deciding if antibiotics are warranted for some other common respiratory complaints, explain that decision to patients and offer guidance on symptom relief.

Among the advice, published in *Annals of Internal Medicine*:

—Acute bronchitis is airway inflammation, irritation that makes you cough, sometimes as long as six weeks. The guidelines say not to perform special testing or prescribe antibiotics unless pneumonia is suspected, something often accompanied by a fast heartbeat, fever or abnormal breathing sounds.

Over-the-counter symptom relief includes cough suppressants such as dextromethorphan; mucus-thinning expectorants such as guaifenesin; and antihistamines or decongestants.

—Sore throats are hugely common but adults are far less likely than children to have the strep throat that requires an antibiotic. A rapid strep test is available if patients have suspicious symptoms such as persistent fever, night sweats or swollen tonsils.

Pain-relieving options for adults include aspirin, acetaminophen, nonsteroidal anti-inflammatory drugs such as ibuprofen, and throat lozenges.

—Sinus infections can be very painful but usually clear up without antibiotics even if bacteria are to blame. The guidelines say antibiotics should be reserved for patients with no signs of improvement after 10 days, severe symptoms such as fever higher than 102, or what's called double-sickening, when someone starts to recover and then gets worse.

Possible symptom relievers include decongestants, nasal sprays, saline nasal irrigation and pain medications.

Riley often has to explain how to tell if cough and cold relievers contain a sedating antihistamine, and that nasal sprays clear congestion quickly but that using them for too many days can trigger rebound symptoms. He asks if patients are taking multiple products that contain acetaminophen, best known as Tylenol, because too much can damage the liver. Often, his patients say an over-the-counter drug isn't working when in fact, they didn't take it as directed.

"There is a dizzying array" of drugstore symptom relievers, so don't make miserable patients sort through them without help, said CDC's Hicks.

"There isn't a right answer that works for everybody," she said. But sometimes something as basic as a humidifier "can make a difference in terms of how you feel when you wake up in the morning."

More information: CDC: www.cdc.gov/getsmart

Annals of Internal Medicine:

www.annals.org/article.aspx?doi=10.7326/M15-1840

© 2016 The Associated Press. All rights reserved.

Citation: Effort to curb overuse of antibiotics amid cold, flu seasons (2016, January 18) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2016-01-effort-curb-overuse-antibiotics-cold.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--