

NHS reorganisation and workload pressures causing GP retention crisis

January 7 2016, by Andy Dunne



Feeling the pressure: a new report from researchers in our Department for Health highlights how many GPs are being forced to retire early due to NHS reorganisation and workplace stress.

NHS reorganisation, coupled with increased GP workload and reduced time for patient care, are combining to force many doctors to leave general practice early, according to a significant new study published today (Thursday 7 January 2016).

The findings, out in the *British Journal of General Practice* from researchers in our Department for Health with colleagues at the Universities of Bristol and Staffordshire, also highlight how nearly half (45.5 per cent) of all GPs leaving the profession in England between 2009-14 were under 50.

'Boiling frogs'

In their study, which was commissioned by NHS England, the authors liken the situation faced by GPs as akin to 'boiling frogs' – whereby internal and external pressures, as well as a tick box and blame culture, have slowly built up, to a point where for many GPs, continuing is no longer sustainable.

The researchers suggest that in order to buck the trend, and avert a further crisis in GP retention and recruitment for the NHS, the pace of administrative change must be minimised and the time spent by GPs on work that is not face-to-face patient care needs to be reduced.

With the cost to UK taxpayers of the 5-years of postgraduate training for each GP stacking up to £249,261, there is a real imperative to resolve the challenges faced and to retain these highly-trained professionals within the UK primary care workforce, the authors suggest.

The study, which comprised qualitative interviews and an online survey of 143 GPs who had left the profession early, identifies the main issue impacting the decisions of those leaving the profession early as the changing role of general practice.

Non-clinical workload 'too high'

79 per cent cited unhappiness with day-to-day life as a GP as a significant factor in their decision to leave. 55 per cent thought that non-clinical workload was too high, with 84 per cent citing workplace pressures as an additional reason for leaving.

Lead author and Qualitative Researcher within our Department for Health, Dr Natasha Doran explains: "This is not the first time we've witnessed a crisis in GP recruitment and retention, but what characterises today's challenge is the number leaving [general practice](#) early in their careers. An increase in administrative tasks has resulted in less time with patients, compromising the ability to practise more patient-

centred care. This has impacted on GPs' sense of professional autonomy and values, resulting in reduced job satisfaction, overwork, stress and for many, a higher risk of burnout."

Since 2008, an additional 40 million patient consultations per year have added to the workload of GPs. Patient demand for services in England continues to grow with an estimated 340 million patient consultations per year overall.

Despite this, efforts to encourage more medical graduates to enter GP training have so far fallen short. The government's target to increase GP training numbers to 3,250 a year has instead remained well below this target, at 2,700 GPs a year.

Principal investigator on this study and former GP, Dr Michael Harris added: "In the last few years I have seen many of my GP colleagues leaving practice early because of the unbearable pressure of work. This study has found a key reason is that the constantly increasing administrative workload has reduced the time for the face-to-face [patient care](#) that they are passionate about. To improve retention of GPs in practice, NHS leaders need to minimise the pace of change and to reduce the amount of time spent by GPs on administrative work."

Co-author, Dr Fiona Fox from the School of Social and Community Medicine at the University of Bristol commented: "It is of great concern that the cumulative pressures identified in our study, mean that experienced GPs are being lost to the NHS."

More information: N. Doran et al. Lost to the NHS: a mixed methods study of why GPs leave practice early in England, *British Journal of General Practice* (2016). [DOI: 10.3399/bjgp16X683425](https://doi.org/10.3399/bjgp16X683425)

Provided by University of Bath

Citation: NHS reorganisation and workload pressures causing GP retention crisis (2016, January 7) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2016-01-nhs-reorganisation-workload-pressure-gp.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.