

Donor kidneys may be discarded due to 'weekend effect' at hospitals

May 12 2016

Investigators have uncovered a "weekend effect" contributing to the worsening availability of donor kidneys in the United States. They found that kidneys that would normally be made available for transplantation were less likely to be procured from donors over the weekend (89.5% on the weekend vs. 90.2% during the week). Further, organs procured during the weekend were more than 20% more likely to be discarded than kidneys procured on other days, although the discarded kidneys were of higher quality on average than those discarded during the week, according to a new report in *Kidney International*.

Each year over 5,000 patients in the U.S. die waiting for a kidney transplant, while annually, nearly 2,700 kidneys procured for transplantation are discarded. There are currently no universal guidelines in the U.S. to recommend which kidneys should be used or rejected.

"This high discard rate is concerning especially given the worsening organ shortage in the U.S., but the factors contributing to this are poorly understood," explained lead investigator Sumit Mohan, MD, MPH, Assistant Professor of Medicine & Epidemiology at Columbia University Medical Center. "The most commonly cited reason for organ discard is organ quality, but recent analyses by our group suggest that even kidneys of acceptable quality are being discarded at an increasing rate."

Investigators hypothesized that there was a significant degree of transplant center-to-center variability, and analyzed whether the

procurement and utilization of deceased [donor](#) kidneys varied by day of the week – specifically, whether it was different on weekends when compared to weekdays. Using data from the U.S. Scientific Registry of Transplant Recipients, they looked at records of more than 180,000 deceased donor kidneys recovered for transplantation between 2000 and 2013. More than 30,000 of these kidneys were discarded during this period. In addition to analyzing the impact of day of the week on donor kidney use or discard, they collected data on geographic variations. They also measured kidney quality using the Kidney Donor Profile Index (KDPI).

Their analysis demonstrated that kidneys procured on Friday and Saturday had a 29% and 25% higher probability of being discarded, respectively, which persisted even after taking into account organ quality (21% and 22% higher odds respectively). They also found considerable geographic variation in the proportion of transplants that took place over the weekend: kidneys available for transplant over the weekend were more likely to be used at larger transplant centers, be shared without payback, and experienced shorter cold ischemia times. Additionally, they observed an upward trend in the deceased donor discard rate from 2000 to 2013, with the percentage of kidneys being discarded increasing over time.

"Factors other than kidney quality appear to influence whether kidneys will be used for transplantation. The results are of particular importance given the growing number of kidneys from deceased donors that are discarded every year, and the fact that preliminary data currently suggest the number of kidney discards is increasing still further following the introduction of the new Kidney Allocation System which was introduced in December 2014," emphasized Dr. Mohan. "Our study underscores the need to identify and understand these factors. Policies and strategies to lower discard rates and improve transplantation outcomes are necessary to improve organ allocation and utilization."

"A better understanding of which components of health care delivery are driving the decision to discard kidneys is needed to determine where intensification of resources is warranted," commented Sunita K. Singh, MD, MSc, and S. Joseph Kim, MD, PhD, MHS, of the Division of Nephrology and the Kidney Transplant Program, Toronto General Hospital, noted experts in the field.. They recommend comparing these data with the results in transplant centers outside the U.S. and point out that examples from the non-transplant literature (such as trauma services) may lead the way to establishing the same level of care 24 hours a day, seven days a week, to mitigate the "weekend effect."

"Kidney transplantation improves life expectancy and is less costly to the health care system than chronic dialysis, so a careful re-evaluation of resource allocation on weekdays versus weekends in transplant centers is needed to ensure that the benefits of transplantation is maximized for the patients who need this life-saving therapy," they concluded.

"Dr Mohan and colleagues should be credited for having pointed out this potential problem," added Detlef O. Schlondorff, MD, Editor-in-Chief of Kidney International and Visiting Professor of Medicine at Mount Sinai Medical Center, New York. "Given the enormous unmet need for donor kidneys, it is imperative to catch all potential donor organs for [transplant](#). The present study shows that there may in fact be a potential to enhance the number of donor kidneys by improving the system for procuring and utilizing [donor kidneys](#) on weekends. These initial observations will require and justify looking in more detail into the possibility of under-utilization of organ donations during weekends and holidays."

More information: "Discard of Deceased Donor Kidneys in the United States: The Weekend Effect," by Sumit Mohan, MD, et al. [DOI: 10.1016/j.kint.2016.03.007](https://doi.org/10.1016/j.kint.2016.03.007)

Provided by Elsevier

Citation: Donor kidneys may be discarded due to 'weekend effect' at hospitals (2016, May 12)
retrieved 4 May 2024 from

<https://medicalxpress.com/news/2016-05-donor-kidneys-discarded-due-weekend.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.