

Home-cooked meals for infants not always better than shop-bought ones

July 19 2016



Credit: Anna Langova/public domain

Home cooked meals specifically designed for infants and young children, are not always better than commercially available baby foods, suggests research published online in the *Archives of Disease in Childhood*.

Often perceived as the best option, home cooked [meals](#) are usually

cheaper—unless organic ingredients are used—but they usually exceed energy density and dietary fat recommendations, the findings indicate.

It's recommended that the introduction of solid foods, known as weaning, begins when a child is 6 months old. It should include a variety of foods to provide a balanced diet rich in a broad range of nutrients.

The researchers wanted to assess how well homemade and commercially available readymade meals designed for infants and young children met age specific national dietary recommendations.

They therefore compared the nutrient content, price, and food group variety of 278 readymade savoury meals, 174 of which were organic, and 408 home cooked meals, made using recipes from 55 bestselling cookbooks designed for the diets of infants and [young children](#).

The pre-prepared meals were all available from major UK supermarkets, a leading pharmacy chain, and a major health and beauty chain.

In terms of the food group content, 16% of the home cooked meals were poultry based compared with 27% of the readymade meals; around one in five (19%) were seafood based vs 7% of the readymade meals; a similar proportion (21%) were meat based compared with 35% of the commercial products; and almost half (44%) were vegetable based compared with around a third (31%) of the readymade meals.

Home cooked meals included a greater variety of vegetables (33) than readymade meals (22), but commercial products contained a greater vegetable variety per meal, averaging 3 compared with 2 for home cooked recipes.

Home cooked meals also provided 26% more energy and 44% more protein and total fat, including saturated fat, than commercial products.

And while almost two thirds (65%) of commercial products met dietary recommendations on energy density, only just over a third of home cooked meals did so, and over half (52%) exceeded the maximum range.

But home cooked meals were around half the price of commercially available readymade meals: £0.33/100 g compared with £0.68/100 g, excluding fuel costs.

"Unlike adult recommendations, which encourage reducing [energy density](#) and fats, it is important in infants that food is suitably energy dense in appropriately sized meals to aid growth and development," the researchers point out.

But they caution: "Dietary fats contribute essential fatty acids and fat soluble vitamins together with energy and sensory qualities, thus are vital for the growing child, however excessive intakes may impact on childhood obesity and health."

The researchers highlight that the lower protein content of readymade meals might be due to the higher proportion of early stage meals on the market while predominantly vegetable based meals are recommended for first tastes.

Furthermore, parents may choose to vary the content of recipes, and there are likely to be natural variations in the nutritional content of raw ingredients, thus making direct comparisons harder to make.

Ready meals are a convenient alternative, they say, but suggest that any parent looking to provide their child with a varied diet, should probably not rely solely on this source.

However, they point out: "the high proportion of red meat-based meals and recipes and low seafood meals are of concern when dietary

recommendations encourage an increase in oil-rich fish consumption and limitation of red and processed meats."

More information: A comparison of preprepared commercial infant feeding meals with home cooked recipes, *Archives of Disease in Childhood*, [DOI: 10.1136/archdischild-2015-310098](https://doi.org/10.1136/archdischild-2015-310098)

Provided by British Medical Journal

Citation: Home-cooked meals for infants not always better than shop-bought ones (2016, July 19) retrieved 6 May 2024 from <https://medicalxpress.com/news/2016-07-home-cooked-meals-infants-shop-bought.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
