

Benefits of daily aspirin outweigh risk to stomach: study

November 30 2016



Coated aspirin tablets. Image: Wikimedia Commons.

Stomach bleeds caused by aspirin are considerably less serious than the spontaneous bleeds that can occur in people not taking the drug, concludes a study led by Cardiff University.

Published in the journal *Public Library of Science*, the extensive study of literature on aspirin reveals that while regular use of the drug increases the risk of stomach bleeds by about a half, there is no valid evidence that any of these bleeds are fatal.

Professor Peter Elwood from Cardiff University's School of Medicine said: "Although many people use aspirin daily to reduce the risk of health problems such as cancer and heart disease, the wider use of the drug is severely limited because of the side effect of bleeding from the stomach. With our study showing that there is no increased risk of death

from stomach bleeding in people who take regular aspirin, we hope there will be better confidence in the drug and wider use of it by older people, leading to important reductions in deaths and disablement from [heart disease](#) and cancer across the community."

Heart disease and cancer are the leading causes of death and disability across the world, and research has shown that a small daily dose of aspirin can reduce the occurrence of both diseases by around 20-30%.

Recent research has also shown that low-doses of aspirin given to patients with cancer, alongside chemotherapy and/or radiotherapy, is an effective additional treatment, reducing the deaths of patients with bowel, and possibly other cancers, by a further 15%.

The study 'Systematic review and meta-analysis of randomised trials to ascertain fatal gastrointestinal bleeding events attributable to preventive low-dose [aspirin](#): No evidence of increased risk' can be found in Public Library of Science.

This study was a systematic review and meta-analysis of randomised trials. This type of research provides the strongest evidence for drawing causal conclusions because it draws together all of the best evidence.

More information: Peter C. Elwood et al, Systematic Review and Meta-Analysis of Randomised Trials to Ascertain Fatal Gastrointestinal Bleeding Events Attributable to Preventive Low-Dose Aspirin: No Evidence of Increased Risk, *PLOS ONE* (2016). [DOI: 10.1371/journal.pone.0166166](#)

Provided by Cardiff University

Citation: Benefits of daily aspirin outweigh risk to stomach: study (2016, November 30)
retrieved 24 April 2024 from
<https://medicalxpress.com/news/2016-11-benefits-daily-aspirin-outweigh-stomach.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.