

Current evidence does not support vitamin D supplements to prevent disease

November 23 2016



Credit: CC0 Public Domain

Current evidence does not support the use of vitamin D supplements to prevent disease, conclude researchers in *The BMJ* today.

Associate Professor Mark Bolland and colleagues at the University of Auckland, New Zealand and the University of Aberdeen, Scotland say those at [high risk](#) of vitamin D deficiency should be advised about sunlight exposure and diet and offered low dose supplements, but the rest of us should focus on eating a [healthy balanced diet](#) with food containing vitamin D and getting regular short bursts of sunshine.

Vitamin D is made by the skin in response to sunlight. It helps to maintain calcium levels in the body to keep bones, teeth and muscles healthy. A lack of vitamin D can lead to bone deformities such as rickets in children, and bone pain and tenderness due a condition called osteomalacia in adults.

During spring and summer, most people get enough vitamin D from sunlight on their skin and their diet. But in autumn and winter, when exposure to sunshine is minimal, the only source is from a limited range of foods such as oily fish, egg yolk, red meat, liver, fortified breakfast cereals and fat spreads.

As such, Public Health England advises that everyone should consider a 10 microgram daily vitamin D supplement of during these months.

Based on a comprehensive search of published evidence, Associate Professor Bolland and colleagues make the case that existing clinical trials show that vitamin D supplementation does not improve musculoskeletal outcomes, such as falls or fractures.

They also say there is no high quality evidence to suggest that vitamin D supplementation is beneficial for other conditions such as heart disease, stroke, and some cancers—and ongoing trial results are unlikely to alter these conclusions.

If vitamin D supplementation does have benefits, they are most likely to

be seen in severely deficient vitamin D populations, they write.

In light of the uncertainty, they suggest people at high risk should be counselled about [sunlight exposure](#) and diet, and low dose vitamin D supplements considered on an individual basis. "Otherwise we conclude that current evidence does not support the use of vitamin D supplementation to prevent disease."

In a debate article also published today, two experts discuss whether healthy people should take a vitamin D supplement during the winter months.

Dr Louis Levy, head of nutrition science at Public Health England, says advice to take a vitamin D supplement of 10 micrograms a day is backed by a Scientific Advisory Committee on Nutrition (SACN) review of the evidence on musculoskeletal health outcomes.

He says "Bolland and his colleagues conclude that serum 25-hydroxyvitamin D should not fall below 25 nmol/L, just like the Scientific Advisory Committee on Nutrition did earlier this year. To achieve this, PHE advice includes getting short bursts of summer sun and a balanced diet through summer and spring. But when the days are darker and shorter and sun exposure is minimal, people should consider a daily 10 microgram vitamin D supplement, as it's difficult to get enough through diet alone."

He argues that taking 10 micrograms of vitamin D daily to prevent musculoskeletal ill health "is unlikely to result in harmful levels of vitamin D" and says getting enough vitamin D is particularly important "because poor musculoskeletal health remains in the top 10 causes of disability adjusted life years."

But Tim Spector, Professor of genetic epidemiology at King's College

London, questions whether this recommendation is evidence based. He points out that, despite hundreds of studies, "highly convincing evidence of a clear role of vitamin D does not exist for any outcome."

Although vitamin D treatment still has a role in people with proved deficiency or in high risk groups, "the rest of us should avoid being 'treated' for this pseudodisease, save scarce NHS resources, and focus on having a healthy lifestyle, sunshine, and a diversity of real food."

More information: Practice: Should adults take vitamin D supplements to prevent disease?

www.bmj.com/cgi/doi/10.1136/bmj.6201

Head to Head: Should healthy people take a vitamin D supplement in winter months? www.bmj.com/cgi/doi/10.1136/bmj.i6183

Provided by British Medical Journal

Citation: Current evidence does not support vitamin D supplements to prevent disease (2016, November 23) retrieved 26 April 2024 from <https://medicalxpress.com/news/2016-11-current-evidence-vitamin-d-supplements.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.