

Kidney disease risk for some pregnant women

November 17 2016



Credit: University of Aberdeen

Research from the University of Aberdeen has found that there was an increased risk of chronic kidney disease later in life for mothers who had high blood pressure during pregnancy.

The study followed women up to sixty years after the pregnancy and found that those who experienced hypertensive disorders ([high blood pressure](#), pre-eclampsia or eclampsia) are more likely to suffer from kidney disease at a later date than those who had [normal blood pressure](#).

This, the first study of this magnitude to investigate the long-term effects of hypertension in pregnancy is published in the journal – *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*.

The study used data from the Aberdeen Maternity and Neonatal Databank (AMND), Grampian Renal Biochemistry Dataset (GRBD), Scottish Morbidity Records (SMR) from the Information Services Division (ISD), Scottish Renal Register (SRR) and the National Records of Scotland (NRS) to compare women's health post-pregnancy.

Dr Dolapo Ayansina said: "We found that there are long-term health problems associated with high blood pressure during pregnancy. Women who experienced hypertensive disorders during pregnancy were found to be at a greater risk of kidney disease long after the pregnancy.

"For most women with hypertension, once the pregnancy is over, their blood pressure and symptoms generally return to normal but it hasn't been known for sure whether there are long term implications for kidney function. So that's basically what we are looking at - is there a suggestion of long-term implications for [kidney function](#) after the pregnancy and the baby has been delivered.

"The aim of the paper was to ask are we doing enough for women who have had hypertension in pregnancy – currently we manage the symptoms during [pregnancy](#) then the women are sent home when [blood pressure](#) returns to normal. We look after women well in these stages. We were wondering if there's a need to follow-up these women, monitor

them more closely to see how these women are doing – do we just send them home or should we keep an eye and if there are problems we should catch it early.

"Our recommendations would be that maybe we should keep an eye on the renal function of these women who are at greater risk of [kidney disease](#) so that we can manage this if a problem occurs."

More information: D. Ayansina et al. Long term effects of gestational hypertension and pre-eclampsia on kidney function: Record linkage study, *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health* (2016). [DOI: 10.1016/j.preghy.2016.08.231](https://doi.org/10.1016/j.preghy.2016.08.231)

Provided by University of Aberdeen

Citation: Kidney disease risk for some pregnant women (2016, November 17) retrieved 2 May 2024 from <https://medicalxpress.com/news/2016-11-kidney-disease-pregnant-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
