

Fatigue occurs in 50 percent with chronic plaque psoriasis

February 15 2017



(HealthDay)—About half of patients with chronic plaque psoriasis have

fatigue, according to a study published online Feb. 9 in the *British Journal of Dermatology*.

Inger Marie Skoie, from Stavanger University Hospital in Norway, and colleagues evaluated the prevalence and degree of fatigue among [patients](#) with chronic plaque psoriasis. Fatigue severity was assessed in 84 patients and 84 healthy controls using three generic fatigue instruments: fatigue Visual Analogue Scale (fVAS), the Fatigue Severity Scale (FSS), and the Short Form 36 (SF-36) vitality scale.

The researchers found that the median fVAS scores were 51 and 11, FSS scores were 4 and 1.6, and SF-36 vitality scores were 43 and 73, respectively, for patients and healthy control subjects. Among patients versus healthy subjects, the rates of clinically important fatigue were 51 versus 4 percent (fVAS), 52 versus 4 percent (FSS), and 42 versus 2 percent (SF-36) (all P

"A better understanding of the link between [psoriasis](#) and [fatigue](#) could promote the development of better care and self-management options for these patients, and possibly lay the foundation for more effective therapeutic approaches in the future," the authors write.

One author disclosed financial ties to Pfizer.

More information: [Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Fatigue occurs in 50 percent with chronic plaque psoriasis (2017, February 15) retrieved 19 April 2024 from <https://medicalxpress.com/news/2017-02-fatigue-percent-chronic-plaque-psoriasis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.