

# LSD 'microdosing' is trending in Silicon Valley – but can it actually make you more creative?

February 14 2017, by Barbara Sahakian, Camilla D'angelo And George Savulich

---



Monday, 6am. Time for a sliver of this? Credit: Psychonaught/wikipedia

It may seem like a doomed attempt to mix business and pleasure. But a growing number of young professionals in Silicon Valley [insist](#) that taking small doses of psychedelic drugs simply makes them perform better at work – becoming more creative and focused. The practice, known as "microdosing", involves taking minute quantities of drugs such as LSD, psilocybin (magic mushrooms) or mescaline (found in the Peyote cactus) every few days.

LSD is the most well-known psychedelic drug since its popularity in the heyday of 1960s counterculture. But perhaps somewhat surprisingly, Silicon Valley also has a long history of psychedelic drug use to boost creativity: technology stars [Steve Jobs](#) and [Bill Gates](#) both famously experimented with LSD.

At high doses, LSD powerfully alters perception, mood and a host of cognitive processes. LSD now appears to be [one of the more commonly microdosed drugs](#). A microdose of LSD consists of about a tenth of a recreational dose (usually 10-20 micrograms), which is usually not potent enough to cause hallucinations. Instead, it is reported to heighten alertness, energy and creativity.

Microdosing LSD also purportedly [enhances overall well-being](#), helping to reduce stress and anxiety while improving sleep and leading to healthier habits. Although a widely reported phenomenon in the media, the lack of scientific studies on microdosing makes the prevalence near impossible to estimate. Reports suggest that what started off as an underground practice in Silicon Valley may be [spreading rapidly](#) to other workplaces.

It is currently unknown how such low doses of [psychedelics](#) act in the brain to produce these intriguing self-reported effects on creativity. Like all classic hallucinogens, LSD produces its potent mind-altering effects primarily by mimicking the effects of the brain chemical serotonin,

which regulates our mood. In particular, LSD [activates 5-HT2A receptors](#) in the pre-frontal cortex, which increases activity of the chemical glutamate in this region. Glutamate enables signals to be transmitted between nerve cells, and plays a role in learning and memory.

In humans, [two distinct effects](#) of recreational doses of LSD have been reported. Initially, people experience psychedelic and positive feelings of euphoria. This may be followed by a later phase characterised by paranoia or even a psychotic-like state. LSD at low doses may produce mood elevation and creativity, mediated by the serotonin-mimicking effects. Actions on both glutamate and serotonin may also act to improve learning and [cognitive flexibility](#), necessary for creativity, in the workplace. These findings could partly help to explain the microdosing phenomenon.

## Clinical evidence

Clinical research with psychedelics is currently undergoing a major revival after having been brought to a halt in the 1960s. One of the benefits of conducting research into psychedelics is their potential to help deepen our understanding of consciousness. In 2016, researchers from Imperial College London were the first to use brain scanning techniques to [visualise how LSD alters the way the brain works](#). One key finding was that LSD had a disorganising influence on cortical activity, which permitted the brain to operate in a freer, less constrained manner than usual.

The results suggested that psychedelics increase communication between parts of the brain that are less likely to communicate with one another, and decrease communication between areas that frequently do. This likely underlies the profound altered state of consciousness that people often describe during an LSD experience. It is also related to what

people sometimes call "ego-dissolution", in which the normal sense of self is broken down. People instead often report a sense of reconnection with themselves, others and the natural world.

The discovery that LSD and other [psychedelic drugs](#) induce a flexible state of mind may explain their reported extraordinary therapeutic benefits. For example, psilocybin has shown benefits in the treatment of [tobacco](#) and [alcohol](#) addiction, [obsessive compulsive disorder](#) and [treatment-resistant major depression](#).

In a small pilot study, LSD in combination with psychological therapy also led to a [slight improvement in anxiety](#) experienced by terminally ill cancer patients. Many of these psychiatric disorders [are characterised by](#) inflexible, habitual patterns of brain activity. By introducing a disordered state of mind, LSD and other psychedelics may help to break these inflexible patterns.

Similarly, the unconstrained brain state induced by psychedelics may also help explain the reported increases in creativity. From the late 1950s until the early 1970s, a whole host of studies sought to determine if classic psychedelics could be useful for enhancing creativity. In the most notable of these studies, researchers found that LSD and mescaline could [aid in creative problem-solving](#) when used in carefully controlled settings.

However, while these studies do provide some insight, they are mere anecdotal by modern research standards (they were not double blind or placebo-controlled). A more recent study found that use of classic psychedelics [was robustly associated](#) with greater creative problem-solving ability. Enhancing creativity has many potential applications in society. For example, it could be both used by commercial industry including advertising and in clinical settings, such as helping patients with autism.

## The downsides

Yet before rushing off to take hits of acid in the hopes of boosting our [creativity](#) at work, it should be remembered that microdosing with an illegal, unregulated drug is of course fraught with risks. Possession may get you put behind bars. Manufacture and supply of illegal drugs are not subject to rigorous regulatory controls. That means users can never be sure of what they are getting.

This makes determining the dose problematic. Those who microdose incorrectly risk having unwanted, full-blown trips or even experience unpleasant trips. There are even [some reports](#) of psychosis-like symptoms in certain vulnerable individuals who use LSD recreationally. However two recent US population surveys found [no link](#) between using psychedelics and mental health conditions.

In an increasingly competitive world it is tempting to find a quick fix to help us achieve more, better and faster. Yet, is this right? As a society we should consider the reasons as to why healthy people choose to use drugs in the first place. A reliance on cognitive-enhancing technologies to cope with demanding working conditions may ultimately reduce the health and well-being of individuals. So we must take care to ensure that enhancement is not seen as a substitute for a healthy working environment.

It is therefore important that more research is done on the safety and efficacy of microdosing. In the meantime, physical exercise, education, social interaction, mindfulness and good quality sleep have all been shown to [improve cognitive performance](#) and overall well-being.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: LSD 'microdosing' is trending in Silicon Valley – but can it actually make you more creative? (2017, February 14) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2017-02-ld-microdosing-trending-silicon-valley.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.