

Scientists surprised to discover lymphatic 'scavenger' brain cells

May 1 2017



Associate Professor Ben Hogan observes zebrafish in action. Credit: UQ's Institute for Molecular Bioscience

The brain has its own inbuilt processes for mopping up damaging cellular waste—and these processes may provide protection from stroke



and dementia.

University of Queensland scientists discovered a new type of lymphatic brain "scavenger" cell by studying tropical freshwater zebrafish—which share many of the same cell types and organs as humans.

Lead researcher Associate Professor Ben Hogan from UQ's Institute for Molecular Bioscience said the fundamental discovery would help scientists understand how the brain forms and functions.

"It is rare to discover a cell type in the brain that we didn't know about previously, and particularly a cell type that we didn't expect to be there," he said.

"The brain is the only organ without a known lymphatic system, so the fact that these cells are lymphatic in nature and surround the brain makes this finding quite a surprise.

"These cells appear to be the zebrafish version of cells described in humans called "mato" or lipid laden cells, which clear fats and lipids from the system but were not known to be lymphatic in nature.

"When wastes such as excess fats leak out of the bloodstream, it is the job of the lymphatic system to clean them out to avoid damaging our organs."

Dr Hogan said the study focused on the presence and development of "scavenger" cells in zebrafish, however there was good reason to believe that equivalent cells surrounded and protected the human brain from a build-up of cellular waste.

"Zebrafish are naturally transparent, which means we can use advanced light microscopes to see directly into the zebrafish brain," Dr Hogan



said.

"Examining the zebrafish brain up close allowed us to find these cells and see how they form and function in detail.

"Normally, lymphatic endothelial cells will group together to form lymphatic vessels to carry fluid, but impressively, in the adult zebrafish brain these cells exist individually, independent of vessels and collect waste that enter the brain from the bloodstream.

"Our focus now is to investigate how these <u>cells</u> function in humans and see if we can control them with existing drugs to promote brain health, and improve our understanding of neurological diseases such as stroke and dementia."

The study was published today in *Nature Neuroscience*.

More information: Mural lymphatic endothelial cells regulate meningeal angiogenesis in the zebrafish, nature.com/articles/doi:10.1038/nn.4558

Provided by University of Queensland

Citation: Scientists surprised to discover lymphatic 'scavenger' brain cells (2017, May 1) retrieved 9 April 2024 from

https://medicalxpress.com/news/2017-05-scientists-lymphatic-scavenger-brain-cells.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.