

Steroids not effective for chest infections in non-asthmatic adults

August 22 2017

Oral steroids should not be used for treating acute lower respiratory tract infection (or 'chest infections') in adults who don't have asthma or other chronic lung disease, as they do not reduce the duration or severity of symptoms, according to a new study published in the journal *JAMA*.

In the study, carried out by researchers at the Universities of Bristol, Nottingham, Oxford and Southampton, 398 non-asthmatic adults with acute chest infections but no evidence of pneumonia and not requiring immediate antibiotic treatment were randomly split into two groups, one receiving 40mg of the oral steroid 'prednisolone' for five days (198 participants) and one receiving an identical placebo over the same time period (200 participants).

The team found there was no reduction in the duration of cough, the main symptom of chest infections, or the severity of the accompanying symptoms between two and four days after treatment (when symptoms are usually at their most severe) in the prednisolone group compared with the placebo group. The results suggest that steroids are not effective in the treatment of chest infections in non-asthmatic adult patients.

Alastair Hay, a GP and Professor of Primary Care in the Bristol Medical School at the University of Bristol and lead author, said: "Chest infections are one of the most common problems in <u>primary care</u> and often treated inappropriately with antibiotics. Corticosteroids, like prednisolone, are increasingly being used to try to reduce the symptoms of chest infections, but without sufficient evidence. Our study does not



support the continued use of steroids as they do not have a clinically useful effect on symptom duration or severity. We would not recommend their use for this group of patients."

Professor Mike Moore, a study co-author from the University of Southampton, added: "Oral and inhaled steroids are known to be highly effective in treating acute asthma as well as infective flares of other long-term lung conditions but need to be used carefully because of the risk of unwanted side effects. We chose to test the effect of steroids for chest infections as some of the symptoms of chest infections, such as shortness of breath, wheeze and cough with phlegm, overlap with acute asthma. However, we have conclusively demonstrated they are not effective in this group of patients."

More information: Effect of oral prednisolone on symptom duration in non-asthmatic adults with acute lower respiratory tract infection: a randomized clinical trial. Hay A et al. (2017), *JAMA*, 2017. jamaetwork.com/journals/jama/...1001/jama.2017.10572

Provided by University of Bristol

Citation: Steroids not effective for chest infections in non-asthmatic adults (2017, August 22) retrieved 14 May 2024 from https://medicalxpress.com/news/2017-08-steroids-effective-chest-infections-non-asthmatic.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.