

Superfly flight simulator helps unravel navigation in the brain

September 4 2017



Drosophila melanogaster. Credit: Wikipedia/CC BY-SA 2.5

Researchers at the RIKEN Brain Science Institute in Japan have identified two independent pathways in the fly brain that are integrated to allow successful navigation during flight. Published in *Nature Neuroscience*, the study combined a flight simulator designed for flies with imaging of active neurons to show that landmark locations are processed separately in the fly brain from self-motion.



Successful <u>navigation</u> is a key to survival for most animals as it can affect the ability to find food, shelter, and mates. This often involves combining many types of information. As group leader Hokto Kazama explains, "animals can save time when searching food if they keep track of their location using cues such as landmarks and memories of where they have been." While this ability is common from insects to mammals, Kazama and many other scientists want to know how it is accomplished in the <u>brain</u>.

While past research has focused on mammals and birds, Kazama's team took another approach. They opted to work with the common fruit fly—*Drosophila melanogaster*—because despite its much simpler and tiny brain, it has an amazing ability to zero in on fruit and avoid being squashed by irritated picnickers.

But how can fly brains be studied in action as flies navigate the world? As lead author Hiroshi Shiozaki points out, "the big problem was that we needed to record brain activity in flies as they engaged in navigation. But, this requires a head that is fixed in space, which obviously prevents natural navigation." The trick was to design a specialized <u>flight simulator</u>. In this unique system, a fly watches a scene with its head fixed in place. When it flaps its wings, the scene rotates accordingly, which allows navigation through a virtual space. In this setup, flies exhibited cue combination—a hallmark of navigation in which animals decide where to orient by combining information about visual landmarks with memories of landmarks that were present a few moments earlier.

Next, the team used two-photon calcium imaging to study the active brain as flies navigated in the flight simulator. This technique allows activity to be recorded from individual neurons, which turned out to be a key factor in the team's findings. The calcium imaging showed that a part of the fly brain called the bulb carried multiple types of information needed for navigation.



Close examination revealed that within the bulb, the information was physically separated from each other. For example, one group of bulb neurons carried memories of landmark locations, while another group carried information about the fly's ongoing position and maneuvers. "To our knowledge, this is the first example of neural activity reflecting a type of short-term memory that lasts for seconds in insects," notes Shiozaki.

The separate bulb regions turn out to be part of two separate pathways that form independent neural circuits. This type of organization might ensure that many types of information can flow without interference, while at the same time minimizing space.

"Insects navigate the environment efficiently with economical brains," notes Shoizaki, "and understanding these biological principles will be useful not only for the field of neuroscientists, but also for engineers and roboticists who are developing small navigating robots."

More information: Parallel encoding of recent visual experience and self-motion during navigation in Drosophila, *Nature Neuroscience* (2017). DOI: 10.1038/nn.4628

Provided by RIKEN

Citation: Superfly flight simulator helps unravel navigation in the brain (2017, September 4) retrieved 3 June 2024 from <u>https://medicalxpress.com/news/2017-09-superfly-flight-simulator-unravel-brain.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.