


Asthma increases risk of complications during pregnancy and delivery

October 4 2017



Obstruction of the lumen of a bronchiole by mucoid exudate, goblet cell metaplasia, and epithelial basement membrane thickening in a person with asthma. Credit: Yale Rosen/Wikipedia/CC BY-SA 2.0

Women with asthma suffer more often from preeclampsia (PE) and run a higher risk of giving birth to underweight babies. These and other complications during pregnancy and delivery can not be explained by hereditary or environmental factors, according to a study from

Karolinska Institutet published in the *Journal of Allergy and Clinical Immunology: In Practice*.

Asthma is a common disease caused by chronic inflammation in the lungs with symptoms of coughing and breathlessness, and affects between 8-10 percent of [women](#) of childbearing age in Sweden.

Using data from the Swedish birth, prescribed drug and patient registers, researchers at Karolinska Institutet have been able to examine the link between [asthma](#) in pregnant women and pregnancy/delivery outcomes. Studying more than 1 million births to just over 700,000 women between 2001 and 2013, they found that 10 percent of the babies born had a mother with asthma.

"Four percent of all [pregnant women](#) develop preeclampsia. We found that the risk of preeclampsia is 17 percent higher in women with asthma compared to women without asthma," says the study's lead author Dr Gustaf Rejnö, obstetrician and doctoral student at Karolinska Institutet's Department of Medical Epidemiology and Biostatistics.

Additionally, women with asthma were more likely to have underweight babies, instrumental deliveries, caesarean sections and shorter pregnancies.

To ascertain whether the [complications](#) could be attributed to hereditary or [environmental factors](#), the researchers also identified the women's asthma-free cousins and sisters who had given birth during the same period. On comparing the groups they found that the correlations between maternal asthma and complications during pregnancy and delivery held.

"It seems to be the asthma per se that causes these complications," says Dr Rejnö. "This means that well-controlled asthma during pregnancy

could reduce the relative incidence of complications during pregnancy and childbirth. In an earlier study we saw that this was indeed the case."

More information: Gustaf Rejnö, et al. Adverse Pregnancy Outcomes in Asthmatic Women: A Population-Based Family Design Study. *Journal of Allergy and Clinical Immunology: In Practice* 4 October 2017, DOI: [10.1016/j.jaip.2017.07.036](https://doi.org/10.1016/j.jaip.2017.07.036)

Provided by Karolinska Institutet

Citation: Asthma increases risk of complications during pregnancy and delivery (2017, October 4) retrieved 5 May 2024 from <https://medicalxpress.com/news/2017-10-asthma-complications-pregnancy-delivery.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--