

Baby-boomers and millennials more afflicted by the opioid epidemic

November 21 2017



Credit: CC0 Public Domain

Baby-boomers, those born between 1947 and 1964, experienced an excess risk of prescription opioid overdose death and heroin overdose death, according to latest research at Columbia University's Mailman

School of Public Health. Individuals born between 1979 and 1992 were also at significantly increased risk for death from heroin overdose. The study findings, which were consistent for both men and women, are published online in the *American Journal of Public Health*.

Since 1999, the rate of overdose deaths involving opioids has nearly quadrupled, driven primarily by prescription opioid overdose and, in recent years, heroin and fentanyl.

"Our study provides new insights on the epidemiologic patterns in drug overdose mortality and helps identify two demographic groups that are disproportionately afflicted by the [opioid epidemic](#)," said Guohua Li, MD, DrPH, professor of Epidemiology at the Mailman School of Public Health, and senior author.

Using data from the National Center for Health Statistics' multiple-cause-of-death file for 1999 to 2014, the researchers assessed cohort patterns in drug overdose mortality in the United States using the multiphase technique for age-period-cohort analysis.

The analysis begins in 1999 when changes in the classification of individual drugs and drug classes became more easily reconciled and ends in 2014, the most recent year for which publicly released data were available.

"Previous studies have shown that about 25 percent of U.S. [overdose deaths](#) had no drug information on the death certificate, so it is likely that national statistics underestimate the number of opioid-related deaths," said Xiwen Huang, MPH, lead author of this study.

Before 2010, the age-specific death rates increased steadily in a parallel fashion for both prescription opioid and [heroin overdose](#) death rates. Since 2010, the prescription opioid overdose death rate for those in their

late 40s to 60s increased faster than those for other age groups. By comparison, heroin overdose [death](#) rates for those in their 20s and 30s increased faster than those for other age groups since 2010. Overall, baby-boomers experienced 25 percent excess deaths from prescription [opioid](#) overdose and heroin overdose and millennials experienced about 20 percent excess deaths from heroin overdose, compared to those born between 1977 and 1978.

"With drug [overdose](#) mortality continuing to rise, effective interventions, such as enhanced state prescription drug monitoring programs and bystander-first responder naloxone training, are urgently needed," said Katherine Keyes, PhD, associate professor of Epidemiology at the Mailman School, and co-author of the study.

"Specifically, our findings point to the need for prevention programs and policies tailored to address the underlying causes of the excess risks facing the baby-boomer generation and the millennials," noted Li.

Provided by Columbia University's Mailman School of Public Health

Citation: Baby-boomers and millennials more afflicted by the opioid epidemic (2017, November 21) retrieved 23 April 2024 from <https://medicalxpress.com/news/2017-11-baby-boomers-millennials-afflicted-opioid-epidemic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--