

Immune cells surveil intestine to prevent infections

January 4 2018



Credit: CC0 Public Domain

As essential as food is for the body to work, its movement through the intestine poses an infection risk. A single layer of cells is tasked with a big responsibility: to keep harmful bacteria out while also maintaining

friendly ones and extracting nutrients. Immune cells called intraepithelial lymphocytes (IELs) that reside at this barrier and are thought to play a role in preventing infection, yet little is known about their exact function.

In research reported in *Cell*, Rockefeller's Daniel Mucida and colleagues used new imaging techniques to access the remote location of IELs in mice. The researchers found that IELs act as a surveillance force responsible for overseeing specific sections of the intestinal barrier. When they disrupted the intestinal barrier's ability to sense bacteria, or manipulated the function of IELs, the mice became more susceptible to a Salmonella infection.

These findings clarify the relationship between the barrier and its designated [immune cells](#), suggesting that the barrier tissue warns IELs about the presence of both friendly bacteria and dangerous pathogens in the intestine, allowing these cells to generate an appropriate immune response.

More information: David P. Hoytema van Konijnenburg et al. Intestinal Epithelial and Intraepithelial T Cell Crosstalk Mediates a Dynamic Response to Infection, *Cell* (2017). [DOI: 10.1016/j.cell.2017.08.046](#)

Provided by Rockefeller University

Citation: Immune cells surveil intestine to prevent infections (2018, January 4) retrieved 10 May 2024 from <https://medicalxpress.com/news/2018-01-immune-cells-surveil-intestine-infections.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.